

Product Brochure For K8180

AP-12 Two Stage Air Filtration Unit - Schools / TAFE

1044cfm Air Flow Capacity
 1 Micron Filtration System

Please Call



ORDER CODE:	K8180
NSW DOE Item No.:	~
QLD DOE Item No.:	~
MODEL:	Schools / TAFE AP-12
Filter Bag (Micron):	1
Air Flow (CFM):	1044
Inlets / Diameter (No. / mm):	~
Noise Level (dB):	62 ~ 69
Motor Power (kW / hp):	0.15 / 0.2
Voltage (V):	240
Nett Weight (kg):	25



Description

With a powerful 150W motor the AP-12 is great for home or commercial workshops. The air passes through a 2 stage filter system, with the pleated pre-filter firstly captures 98% of all particles at 5 microns in size and 85% of all particles 1 micron in size when it passes through the second stage filter.


The remote control unit has three settings for the motor speed (High-1044CFM @ 69dB, Medium-702CFM @ 67dB, Low-556CFM @ 62dB) and three different time settings of 1 hour, 2 hours and 4 hours, which can be used to clear the workshop after work has finished for the day.

Features

- 1044cfm air flow capacity
- Remote control ON/OFF
- Filtering 98% of all particles 5 microns in size and 85% of all particles 1 micron in size
- Quiet running with 3 x motor speeds (High-1044CFM @ 69dB, Medium-702CFM @ 67dB, Low-556CFM @ 62dB)
- 3 x timer settings (1Hr, 2Hr, 4Hr)
- Easy removal to clean filter element
- Designed for ceiling mount

Includes

- Flange brackets for wall or ceiling mounting
- Eye bolts for mounting to ceiling rafters
- Rubber feet for placing unit on workbench



Filtration

Highly effective 2 stage fine filtration down to 1 micron.

Product Brochure For K8180

Specific Features



Rear View



Control Panel



5 Micron Outer Paper Filter




1 Micron Inner Fabric Bag Filter



Air Outlet



Shown with Filters Removed



Shown with Filter Out



Remote Control



Parts Included

Product Brochure For K8180

Recommended Accessories

CP030
PRIMARY FILTER 5 MICRON

CP032
FILTER SECONDARY 1
MICRON

