

## Product Brochure For L696

### CNC Lathe - NCL-6000

250 x 450mm Turning Capacity



ORDER CODE:	L696
MODEL:	NCL-6000
Tool Height (mm):	~
Accuracy (mm):	0.01
Repeatability (mm):	0.005
Maximum Turning Length (mm):	330
Maximum Turning Diameter (mm):	100
Distance Between Centres (mm):	450
Swing Over Bed (mm):	250
Centre Height (mm):	125
Bed Width (mm):	135
Spindle Bore (mm):	~
Spindle Taper (Type):	3MT
Turning Over Cross Slide (mm):	~
TailStock Taper (MT):	2
Tailstock Travel (mm):	50
Spindle Speed Range (rpm):	100 - 3000
Tool Position Number (No.):	4
Motor Power (kW / hp):	1 / 1.3
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	~



### Description

The NCL-6000 is a CNC lathe with a stepping motor system, hardened ballscrews, variable spindle speed, limit switches, 4-way toolpost and tailstock. The CNC lathe is driven by MACH 3 software on a PC

Converts a standard PC to a fully featured CNC control. Up to 6-Axis control can be achieved, allows direct import of DFX, BMP, JPG and HPGL files to generate the G code. It includes visual G code display as well as multiple programming wizards to provide complex programming techniques into simple to use menu's. The entire machine is driven by the PC.

### Features


- Accuracy 0.01mm
- Repeatability 0.005mm
- 3000rpm spindle
- 250mm swing
- 1000W main spindle motor
- 135mm bed width
- 330mm Maximum length capacity
- 100mm Maximum diameter capacity
- 4N Motor of X-Axis
- 4N Motor of Z-Axis
- Tool position no. 4
- Angle of the toolpost 360°
- 2MT Tailstock with 50mm travel
- X-Axis adjustable distance of tailstock ±4mm
- Dimensions (LxWxH) 154 x 92 x 163cm
- Fully enclosed guarding
- Includes PC with software preloaded, screen, keyboard and mouse

### Includes

- 12mm Turning tool kit (L450)
- 2MT Live centre (C050)
- 13mm Keyless drill chuck (C292)
- 2MT x JT6 Drill chuck arbor (D442)

Product Brochure For L696


Specific Features



Computer Hardware



Mach 3 Software



Lathe Machine



Tailstock



Cooling Fan




Magnetic Safety Interlock



Machine Light



4 Way Toolpost



Lubrication Pump



Main Power Switch



Rear View



Emergency Stop



Slide out Rear Swarf Tray



12mm Turning Tool Kit (L450)



2MT Live Centre (C050)



13mm Keyless Drill Chuck (C292)

Product Brochure For L696

---



2MT x JT6 Drill Chuck Arbor (D442)