

Product Brochure For P235

## Coolant Pump & Tank - CPP-20LTR

1/8hp, 240V Motor

10 Litre Plastic Tank & 20 Litres/Min. At 1 Metre Lift



**On Sale**

<b>Ex GST</b>	<b>Inc GST</b>
<del>\$320.00</del>	<del>\$352.00</del>
<b>\$290.00</b>	<b>\$319.00</b>

ORDER CODE:	P235
MODEL:	CPP-20LTR
Type:	Coolant Pump & Tank
Tank Capacity (Litre):	10
Discharge at 1 metre Lift (L/min):	20
Length (L) (mm):	~
Submerge Depth (L1) (mm):	~
4 Mount Holes (PCD) (mm):	~
Threaded Outlet (BSPT):	~
A (mm):	~
B (mm):	~
C (mm):	~
D (mm):	~
E (mm):	~
F (mm):	~
G (mm):	~
H:	~
I (mm):	~
J (mm):	~
K (mm):	~
Motor Power (hp):	1/8
Voltage / Amperage (V / amp):	240 / 10
Dimensions (L x W x H) (mm):	370 x 310 x 250
Nett Weight (kg):	9

### Description

Manufactured in Taiwan

Plastic coolant tank moulded with divider to help prevent fine swarf particles entering pump

### Features

- 1/8hp 240V motor & PVC tank with 10 litre capacity
- Discharge at 2 metre lift: 20 litres/min, (maximum lift @ 3.5 metres)
- 330mm flexible nozzle with flow tap & magnetic base
- 2 metre PVC clear supply hose
- 1.5 metre PVC clear drain hose
- Safety magnetic On/Off switch
- 1.6 metre power cable from pump to switch
- 2.8 metre power cable from switch to 240V socket
- Removable coolant return particle strain filter
- Coolant tank dimensions: 370 x 250 x 170mm
- Overall height to top of pump 310mm

Product Brochure For P235

**Specific Features**



Left View



Front View



Top View



Rear View



Side View



Flexible Hose with Nozzle



Magnetic Base & Flow Control Valve



Safety Magnetic Switch



Dust & Coolant Proof Switch Cover



Coolant Hose Return



Removable Return Strainer



Return Tank Divider



Coolant Pump Flow Outlet



Min Max Coolant Level Guide

Product Brochure For P235

**Recommended Accessories**

S090A  
 Soluble Metal Cutting Fluid - 1  
 Litre



S090  
 Soluble Metal Cutting Fluid - 5  
 Litre



S076  
 Cutting Tool Lubricant Fluid -  
 500ml



S077  
 Drilling, Tapping & Cutting Tool  
 Lubricant Spray - 400g



S075  
 Cutting Tool Lubricant Paste -  
 200g



S074  
 Cutting Tool Lubricant Paste -  
 500g



S091  
 Soluble Metal Cutting Fluid - 20  
 Litre



O000  
 SpillFix Universal Organic  
 Absorbent



Product Brochure For P235

H164  
Flexible Coolant Hose



H166  
Flexible Coolant Hose



H170  
Flexible Coolant Hose



P232  
Coolant Pump



P233  
Coolant Pump

