

Product Brochure For S227A

## Pneumatic Planishing Hammer - PPH-51

1.2mm Mild Steel Capacity  
 500mm Throat Depth



**On Sale**

<b>Ex GST</b>	<b>Inc GST</b>
<del>\$320.00</del>	<del>\$352.00</del>
<b>\$270.00</b>	<b>\$297.00</b>

ORDER CODE:	S227A
MODEL:	PPH-51
Machine (Type):	Pneumatic Planishing & Hammer
Mild Steel - Capacity (mm / Gauge):	1.2 / 18
Aluminium - Capacity (mm / Gauge):	~
Cubic feet per minute (CFM):	~
Tooling Height Adjustment (mm):	~
Tooling Shank Size (mm):	~
Throat Depth (mm):	500
Throat Height (mm):	390
Length of Stroke Adjustment (mm):	~
Radius Anvil Sizes (mm):	25, 50, 76
Speed - blows per minute (BPM):	875 - 1350
Air Consumption (CFM):	4
Working Height (mm):	965
Air Pressure (psi):	50-100 PSI Maximum
Motor Power (kW / hp):	~
Voltage / Amperage (V / amp):	~
Machine Dimensions (LxWxH) (mm):	400 x 710 x 1230
Tooling Holder/Power Unit Dimensions (LxWxH) (mm):	~
Nett Weight (kg):	25

### Description

The PPH-51 Planishing Hammer has been long used in metal fabrication and restoration to smooth large areas of metal after it has been roughly shaped with a hammer and sand bag. Common uses are for custom motorcycle gas tank and fender manufacturing, street rod bodies, patch panels for auto restoration, repair and metal sculpting.

The power head is a heavy-duty aircraft rivet gun, sturdy steel fabricated frame with 500mm throat depth, is beefy enough to smooth 1.2mm mild steel. A quick release allows the lower shaft to slide down, to accept panels with deep flanges. The power head adjustment controls the intensity from 875-1350 blows per minute. A foot control starts and stops the hammering while being hooked up to compressed air.

Includes Ø32mm flat top die, 25, 50 and 76mm radius anvils.

The machine weighs 25kg and has bolt holes to be easily secured to floor.

### Features

- 500mm throat capacity
- 1.2mm mild steel capacity
- Foot pedal operation
- Comes with 25, 50, 76mm radius anvils
- 875-1350 blows/minute
- 50 - 100PSI pressure
- 4cfm air consumption
- Overall height 1220mm
- The footprint of the machine is 750mm x 350mm

Product Brochure For S227A

**Specific Features**



Left View



Planishing Work Area



Pneumatic Hammer



Adjustable Dial 875 to 1350 Blows Per Minute



Release Pin For Replacing Formers and Quick Release Handle




3 x Formers



Plug for Sand



Foot Control



Air In Adaptor



Former Holder

Product Brochure For S227A

**Recommended Accessories**

C5031  
Pilot Air Compressor



A270  
Filter Regulator



A271  
Inline Lubricator



A037  
Air Tool Oil



S2262  
Shrinker & Stretcher - Bench Mount



S2263  
Shrinker Stretcher Foot Operated Stand



S2264  
Foot Operated Shrinker Stretcher - Oval Jaws



S2266  
Foot Operated Shrinker Stretcher - Heavy Duty



Product Brochure For S227A

S223

Straight Steel T-Dolly Set Small  
 - 5 Piece




S2231

Straight Steel T-Dolly Set Large  
 - 2 Piece



S2232

Tapered Steel T-Dolly Set - 3  
 Piece




S2233

Curved Steel Dolly Set - 3 Piece



S2234

Mushroom Steel Dome Dolly Set  
 - 2 Piece



S2235

Mushroom Steel Dome Dolly Set  
 - 2 Piece



S2236

Oval Steel Dolly



S2237

Bowl Steel Dome Dolly



S2239

Dolly Stand Holder



S2238

Steel Dolly Stand



S2240

Round Steel Table for Sand Bag



S214

Rectangle Leather Bag - Steel  
 Shot Filled



Product Brochure For S227A

S212

Rectangle Leather Bags - Sand Filled



S210

Round Leather Bags - Sand Filled



H885

Auto Panel Restoration Kit - DIY



H886

Auto Panel Restoration Kit - Professional



H887

Auto Panel Restoration Kit - Master

