


Product Brochure For L0996

SR-602 - Select-A-Rad Pedestal Belt Grinder & Notcher

50 x 1520mm Belt Size
 5 Work Stations

Ex GST **Inc GST**
\$2,020.00 **\$2,222.00**



ORDER CODE:	L0996
MODEL:	SR-602
Type:	Belt Grinder / Notcher
Mounting Type - Bench / Pedestal:	Pedestal
Includes Stand:	Yes
Belt Size (mm):	50 x 1520
Belt Speed (fpm / mpm):	3534 / 1077
Motor Speed (rpm):	2800
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10
Shipping Dimensions (L x W x H) (cm):	70 x 60 x 50
Nett Weight (kg):	52



Description

A belt grinder with unmatched accuracy for knife making, tube notching and hollow grinding utilising an economical standard 60 x 2" (1520 x 50mm) belt with quick change contact wheels from 20 / 25 / 32 / 28 / 44 / 50 and 89mm).

The Selecta-A-Rad 602 Belt Grinder includes 5 word station options, increased belt performance and more clearance for hollow grinding. In addition it comes with a Tilt Top Stand and Base Plate, a Too Rest Notching Table and 2 contact wheels (50mm & 89mm). workshop machine!

Optional Accessories:
 Contact Wheels Ø20 - Ø44mm

Features


- 5 work stations, 2 contact wheels (1 x Ø50mm & 1 x Ø89mm), (5 sizes available)
- Economical Standard Belt (60 x 2" / 1520mm x 50mm)
- 9" (228mm) drive pulley (for hollow grinding knives)
- Unmatched accuracy (for precise sharpening and notching, including finger grooves)
- 1.5kW / 2hp 240V Motor totally enclosed with overload protection
- Performance and durability backed by a 2 year commercial warranty
- Includes pedestal stand
- Made in Australia

Includes


- Tilting top stand & base plate
- Tool rest, Notching tilt table & fence
- 1 x Zirconia belt
- 2 contact wheels Ø50mm & Ø89mm

Optional Accessories


- Contact wheels available:
- Ø20, Ø25, Ø32, Ø38, Ø44mm



Specific Features




89mm Diameter Wheel Included



Precision Notching at Belt Edge



Hollow Grinding



Notch Table Included



Platen Grinding



Optional 20mm Diameter Wheel

Product Brochure For L0996

sales@machineryhouse.com.au
www.machineryhouse.com.au

Recommended Accessories

L0996A

Contact Wheel Cartridge -
Ø20mm



L0996B

Contact Wheel Cartridge -
Ø25mm



L0996C

Contact Wheel Cartridge -
Ø32mm



L0996D

Contact Wheel Cartridge -
Ø38mm




L0996E

Contact Wheel Cartridge -
Ø44mm



L0996F

Platen Table



L0996G

Hollow Grinding Jig



G183

Abrasive Belt & Disc Cleaning
Stick



Product Brochure For L0996

sales@machineryhouse.com.au
www.machineryhouse.com.au

W322A

Flame Retardant Dust Hose -
Metal or Timber

