

Product Brochure For S772

AR-2506 - Motorised Plate Curving Rolls

2550 x 6mm Mild Steel Capacity
 Initial Pinch Design

Ex GST **Inc GST**
\$14,650.00 **\$16,115.00**

ORDER CODE:	S772
MODEL:	AR-2506
Curving System Type:	Initial Pinch
Curving Material Length (mm):	2550
Curving Plate Thickness - Mild Steel (mm):	6
Minimum Rolling Diameter (mm):	400
Roll Diameter (mm):	190
Motor Power (kW / hp):	5.5 / 7.5
Voltage / Amperage (V / amp):	415
Dimensions (LxWxH) (mm):	4160 x 900 x 1200
Shipping Dimensions (L x W x H) (cm):	416 x 90 x 120
Nett Weight (kg):	3200



Features

- Two rolls powered by gearbox and gear system
- Drive motor fitted with brake preventing material roll on
- Swing out end enables complete cylinder to be removed
- Heavy duty steel welded main frames
- Mobile control panel
- Safety wire interlock system with emergency shut-off
- Motorised up & down rear curving roll
- Mild steel capacity is rated on hot rolled material with 250MPA

Product Brochure For S772

Specific Features



Recommended Accessories

L840

Ball Transfer Table - Sheet
Metal & Plate

