

Product Brochure For W240

MIG WELDER - MINI MIG 180

#KMM180

35-180 Amps Welding Current Range



ORDER CODE:	W240
MODEL:	MINI MIG 180
Type:	MIG WELDER
Part Number:	KMM180
Voltage (V):	240
Recommended Plug Amperage (amp):	15
Welding Current Range - MIG (amp):	35 - 180
Welding Current Range - STICK (amp):	~
Welding Current Range - TIG (amp):	~
Duty Cycle (% @ amp):	10 @ 180
Wire Spool Size (kg):	1 & 5
Ferrous Wire Size - Range (mm):	0.6 - 0.8
Stainless Steel Wire Size - Range (mm):	~
Aluminium Wire Size - Range (mm):	~
Recommended Generator (KVA):	~
Dimensions (mm):	590 x 320 x 410
Nett Weight (kg):	30



Description

The UNIMIG 180 Gas/Gasless Welder is the perfect solution to all your DIY welding needs. Extremely tough and reliable this portable welder can handle most small repair and DIY jobs. Perfect for running Gas/Gasless wires and with the added bonus of being spool gun ready welding aluminium can be achieved with ease.

Features

- Single Phase 240 Volt Input
- Six Voltage Positions for Precise Welding Control
- Thermal Overload Protection
- Fan Cooled
- 35-180AMP Output
- 1-5 Kg Wire Spool Capacity
- Gas / Gasless Operation
- Euro Connect 3M Metre MIG Torch
- Spool Gun Ready
- 1 Spool Mild Steel Solid Wire
- 1 Spool Gasless Flux Cored Wire
- Fully Compliant to AS 60974-1

Includes

- Mini-MIG 180
- SB15-3M Euro Connect Ergo MIG Torch
- 3M Earth Direct Connect Lead
- Uni-Flame Twin Gauge Argon Regulator
- Gas Hose with Fittings
- 1 X 0.5 Kg Spool 0.8mm Solid Mild Steel Wire
- 1 X 0.45 Kg Spool 0.8mm Gasless Flux Cored Wire
- 1 X 0.8mm Flux Cored Drive Roller

Optional Accessories

- Spool Gun SPG135-4M
- Trolley (W241)

Product Brochure For W240

Specific Features



1 Front View



Right View



3 Lid Open



4 Rear View

Recommended Accessories

W241
 Universal Welder Trolley



W2415
 TRI-CART Multi-Machine
 Welding Trolley



W542A
 MIG Torch - 3 Metre



W119
 Anti-Spatter Spray



O0184
 Ar/O₂ - Argon 98% & Oxygen
 2% Disposable Cylinder



O0185
 CO₂/Ar - 86% Argon & 14%
 Carbon Dioxide Disposable
 Cylinder



O300
 Gas Refillable Cylinder



O304
 Gas Refillable Cylinder



Product Brochure For W240

O3045
 Gas Refillable Cylinder



O302
 Gas Refillable Cylinder



O306
 Gas Refillable Cylinder



O3065
 Gas Refillable Cylinder



O0171
 Argon Gas Regulator



W160A
 Argon Gas Regulator-Twin Gauge



W161
 Argon Gas Regulator-Bobbin Flowmeter



W100
 ROGUE™ Heavy Duty Welding Gloves - 400mm




W001
 Auto Darken Welding Helmet - 9-13 Shade



W002
 Auto Darken Welding Helmet - 9-13 Shade



L3456
 How to Weld Book



W225
 Welding Curtain



Product Brochure For W240

W138
 Ø0.6mm Mild Steel MIG
 Welding Wire



W138A
 Ø0.6mm Mild Steel MIG
 Welding Wire



W140
 Ø0.8mm Mild Steel MIG
 Welding Wire



W140A
 Ø0.8mm Mild Steel MIG
 Welding Wire



W142
 Ø0.9mm Mild Steel MIG
 Welding Wire



W143
 Ø1.0mm Aluminium MIG
 Welding Wire



W144
 Ø1.2mm Aluminium MIG
 Welding Wire



W145
 Ø0.9mm Gasless Mild Steel
 MIG Welding Wire



W145A
 Ø0.9mm Gasless Mild Steel
 MIG Welding Wire



V099
 90 degree Angle Vice Clamp



V100
 90 degree Angle Vice Clamp



W526
 10 x 0.6mm Contact Tips - Steel



Product Brochure For W240

W528
 10 x 0.8mm Contact Tips - Steel



W529
 10 x 0.9mm Contact Tips - Steel



W529A
 10 x 0.9mm Contact Tips - Aluminium



W530
 10 x 1.0mm Contact Tips - Steel



W530A
 10 x 1.0mm Contact Tips - Aluminium



W532
 10 x 1.2mm Contact Tips - Steel



W532A
 10 x 1.2mm Contact Tips - Aluminium



W539
 0.6-0.8mm Blue Steel Liner



W538
 1.0-1.2mm Red Steel Liner



W567
 1.0-1.2mm Red Aluminium Liner



W535
 2 x Conical Nozzles



W536
 2 x Shroud Springs



Product Brochure For W240

W537

2 x Contact Tip Holders

