

## cs-55 - Circular Plunge & Mitre Cut Saw Package Deal

55mm Depth Capacity  
 Ø160mm Blade



### Package Deal

<b>Ex GST</b>	<b>Inc GST</b>
<b>\$295.00</b>	<b>\$324.50</b>

### Package Contents - SAVE \$64.90 (Inc)

1 x W875 - cs-55 Circular Plunge & Mitre Cut Saw	<b>\$253.00</b>
1 x W876 - cs55-RAIL Aluminium Guide Rail	<b>\$99.00</b>
1 x W877 - W877 Guide Joiner, Clamps & Stop Accessory Kit	<b>\$27.50</b>
1 x W878 - W878 Anti-Fall Over Saw Clamp	<b>\$9.90</b>

<b>Normal Price (Inc):</b>	<b>\$389.40</b>
----------------------------	-----------------

ORDER CODE:	W874
MODEL:	cs-55 Package
Type:	Circular Plunge Saw Kit
Blade Diameter x Teeth (mm x T):	Ø160mm x 24T
Blade Thickness (mm):	2.4
Blade Bore (mm):	20
Blade Speed (rpm):	5500
Cut Depth @ 90° - Plunge Saw only (mm):	55
Cut Depth @ 45° - Plunge Saw only (mm):	41
Cut Depth @ 90° - with Guide Rail (mm):	50.5
Cut Depth @ 45° - with Guide Rail (mm):	35.5
Mitre Cutting Angle (deg):	0 - 45°
Closest to Wall Cutting (mm):	15.5
Dust Collector Connection Size (mm):	38
Voltage (V):	240
Motor Power (kW / hp):	1.2 / 1.6
Shipping Dimensions (L x W x H) (mm):	1430 x 240 x 270
Nett Weight (kg):	9.5

### Description

The Scheppach circular plunge cut saw cs-55 – "Three Saws in One" can be used as a plunge saw, Portable hand saw & a Panel sizing saw, anyone can get great results in the shop or on the job site.

The combination of a Scheppach cs-55 parallel plunge saw with the guide rail allows the user to maintain a smooth and constant hand position while cutting 90° or 45° cuts.

### Features

- German design & technology
- Powerful 1.2kW / 1.6hp 240V Motor
- Parallel plunge allows the user to maintain a smooth and constant hand position while cutting
- The enclosed guard gives a 90% dust extraction capability
- 55mm @ 90° maximum depth of cut allows the trimming and sizing of most common door sizes - Plunge Saw Only
- Can tilt saw head up to 45° and will cut 41mm maximum depth - Plunge Saw Only
- Maximum precision, even when cutting free hand
- 15.5mm – close to wall cutting is achievable with cs-55 saw
- Includes 24 tooth blade that gives a fine and accurate finish with very little breakout in laminates

### Includes

- 1 x cs-55 circular plunge cut saw
- 1 x 1400 x 200mm Aluminium guide rail
- 1 x Guide Rail, Clamps & Stop Accessory Kit
- 1 x Anti-fall over saw clamp

### Optional Accessories

- Replacement Saw Blades:
- 160 x 20 x 2.4mm 24 Teeth (W879)
- 160 x 20 x 2.2mm 48 Teeth (W880)

**Specific Features**



Circular plunge cut saw



55mm maximum stepless cutting depth




Adjustable mitre cuts 0-45 degree



Perfect for kitchen worktops



Achieve cuts usually performed on a panel saws



Cuts solid natural timbers, chipboard, plywood and MDF



Ideal for edging up to 15.5mm from the wall



Saw in up right position show on guide rail



Bottom view

Product Brochure For W874

sales@machineryhouse.com.au  
 www.machineryhouse.com.au

**Recommended Accessories**

**W875**  
 Circular Plunge & Mitre Cut Saw



**W876**  
 Aluminium Guide Rail



**W877**  
 Guide Joiner, Clamps & Stop  
 Accessory Kit



**W8775**  
 Heavy Duty Clamp Set



**W878**  
 Anti-Fall Over Saw Clamp



**W879**  
 Saw Blade - 160mm x 24T



**W880**  
 Saw Blade - 160mm x 48T



**W885**  
 Dust Collector

