



General Machinery Safety Instructions

Machinery House
requires you to read this entire Manual before using this machine.

1. Read the entire Manual before starting machinery. Machinery may cause serious injury if not correctly used.

2. Always use correct hearing protection when operating machinery. Machinery noise may cause permanent hearing damage.

3. Machinery must never be used when tired, or under the influence of drugs or alcohol. When running machinery you must be alert at all times.

4. Wear correct Clothing. At all times remove all loose clothing, necklaces, rings, jewelry, etc. Long hair must be contained in a hair net. Non-slip protective footwear must be worn.

5. Always wear correct respirators around fumes or dust when operating machinery. Machinery fumes & dust can cause serious respiratory illness. Dust extractors must be used where applicable.

6. Always wear correct safety glasses. When machining you must use the correct eye protection to prevent injuring your eyes.

7. Keep work clean and make sure you have good lighting. Cluttered and dark shadows may cause accidents.

8. Personnel must be properly trained or well supervised when operating machinery. Make sure you have clear and safe understanding of the machine you are operating.

9. Keep children and visitors away. Make sure children and visitors are at a safe distance for your work area.

10. Keep your workshop childproof. Use padlocks, Turn off master power switches and remove start switch keys.

11. Never leave machine unattended. Turn power off and wait till machine has come to a complete stop before leaving the machine unattended.

12. Make a safe working environment. Do not use machine in a damp, wet area, or where flammable or noxious fumes may exist.

13. Disconnect main power before service machine. Make sure power switch is in the off position before re-connecting.

14. Use the Correct Extension Lead. Extension leads should be avoided where possible but if required,

always use an extension lead that is rated for the power requirements of your machinery. Using an incorrectly rated extension lead can lead to overheating, damage to machinery, or potential fire hazards. Ensure leads are in good condition and free of damage. Replace if faulty.

15. Keep machine well maintained. Keep blades sharp and clean for best and safest performance. Follow instructions when lubricating and changing accessories.

16. Keep machine well guarded. Make sure guards on machine are in place and are all working correctly.

17. Do not overreach. Keep proper footing and balance at all times.

18. Secure workpiece. Use clamps or a vice to hold the workpiece where practical. Keeping the workpiece secure will free up your hand to operate the machine and will protect hand from injury.

19. Check machine over before operating. Check machine for damaged parts, loose bolts, Keys and wrenches left on machine and any other conditions that may effect the machines operation. Repair and replace damaged parts.

20. Use recommended accessories. Refer to instruction manual or ask correct service officer when using accessories. The use of improper accessories may cause the risk of injury.

21. Do not force machinery. Work at the speed and capacity at which the machine or accessory was designed.

22. Use correct lifting practice. Always use the correct lifting methods when using machinery. Incorrect lifting methods can cause serious injury.

23. Lock mobile bases. Make sure any mobile bases are locked before using machine.

24. Allergic reactions. Certain metal shavings and cutting fluids may cause an allergic reaction in people and animals, especially when cutting as the fumes can be inhaled. Make sure you know what type of metal and cutting fluid you will be exposed to and how to avoid contamination.

25. Call for help. If at any time you experience difficulties, stop the machine and call your nearest branch service department for help.



Motorcycle Lifter-Stand Safety Instructions

Machinery House
requires you to read this entire Manual before using this machine.

- 1. Motorcycle Lifter-Stand Condition.** Motorcycle Lifter-Stand must be maintained for a proper working condition. Never operate a Motorcycle Lifter-Stand that has damaged or worn parts. Check the stand, bolts, framework and welds for cracks or damage. Replace if necessary.
- 2. Crushing Hazard.** Never place any part of your body under the Motorcycle Lifter-Stand, or under a lifted load while in operation. Otherwise serious injury can occur.
- 3. Work area hazards.** Pay attention to other persons in the area and know what is going on around the area to ensure unintended accidents.
- 4. Overloading Motorcycle Lifter-Stand.** Do not overload the Motorcycle Lifter-Stands capacity. Always check the weight of the motorcycle before using this Motorcycle Lifter-Stand.
- 5. Warning Labels.** Take note of any warning labels on the Motorcycle Lifter-Stand and do not remove them.
- 6. Level Surface.** Only use this Motorcycle Lifter-Stand on a hard level surface capable of sustaining the combined load.
- 7. Material Hazard.** Do not lift objects that are not recommended for the Motorcycle Lifter-Stand. If they fall serious injury can occur.
- 8. Other Hazards.** Never attempt to start or run the motorcycle on this Motorcycle Lifter-Stand. Never allow children to play on Motorcycle Lifter-Stand while in use or in storage.
- 9. Safe Operation.** Use extreme care when operating this Motorcycle Lifter-Stand. Always position the Motorcycle Lifter-Stand in the correct centered and balanced position under the motorcycles frame. Always support the weight of your motorcycle (Hold onto the handlebars) while operating the foot lever of the Motorcycle Lifter-Stand so that the motorcycle does not fall or slide to one side. If unable to support the motorcycle while using the Motorcycle Lifter-Stand ask someone else to help you support the motorcycle while you operate the Motorcycle Lifter-Stand foot lever. Otherwise serious injury can occur. Leave the Motorcycle Lifter-Stand all the way down when not in use.
- 10. Call for help.** If at any time you experience difficulties, stop and call you nearest branch service department for help.

PLANT SAFETY PROGRAM
NEW MACHINERY HAZARD IDENTIFICATION, ASSESSMENT & CONTROL

Motorcycle Lifter-Stand

Developed in Co-operation Between A.W.I.S.A and Australia Chamber of Manufactures
This program is based upon the Safe Work Australia, Code of Practice - Managing Risks of Plant in the Workplace (WHSA 2011 No10)

Item No.	Hazard Identification	Hazard Assessment	Risk Control Strategies (Recommended for Purchase / Buyer / User)
B	CRUSHING	HIGH	Ensure Motorcycle Lifter-Stand is on level solid ground. Ensure motorcycle is correctly mounted and in a balanced position before lifting. Keep body parts clear from under motorcycle when mounting and lifting. Do not exceed maximum capacity of Motorcycle Lifter-Stand. Support motorcycle while lifting using the foot lever of the Motorcycle Lifter-Stand. Wear safety boots.
J	SLIPPING, TRIPPING, & FALLING	LOW	Avoid uneven or slippery surfaces when using Motorcycle Lifter-Stand.
Plant Safety Program to be read in conjunction with manufactures instructions			



www.machineryhouse.com.au



www.machineryhouse.co.nz

Authorised and signed by:

Safety officer:

Manager:




Revised Date: 2nd June 2025