


Product Brochure For A3535

Swivel Crane - Truck or Ute (NOTE: 1920mm Max. Lift) - Ex-Demo

450kg Lifting Capacity

NOTE: 1920mm Max. Lift Height



Order Code:	A3535
MODEL:	TCS-450X
Hydraulic Ram (Tonne):	3
Power Supply (V):	~
Single Line Lifting Capacity (kg):	450
Double Line Lifting Capacity (kg):	~
Lifting System (Type):	Hydraulic - Manual
Lift Capacity Pin Locations (Kg):	450 & 230
Steel Box Section Size - Vertical Support (mm):	70 x 70
Steel Box Section Size - Extension Arm Support (mm):	70 x 70
Max. Lift Height (Base to Lifting Shackle) (mm):	1920
Min. Lift Height (Base to Lifting Shackle) (mm):	80
Overall Height - Boom at Lowest Position (mm):	1350
Nett Weight (kg):	48.5



Description

Ex-Demo

Keep it in your workshop, or the back of your ute or truck

NOTE: 1920mm Maximum Lift Height

Features

- Heavy duty construction
- 450kg & 230kg lifting positions
- Manual hydraulic lifting pump
- 360° continuous manual rotation
- Supplied with a load rated bow shackle
- 270 x 270mm base plate
- Lifting height (Base to Lifting Shackle): 1920mm
- Storage height folded (from base): 1350mm
- 2 position telescoping boom: 450kg @ 630mm Horizontal Throat, 230kg @ 1000mm Horizontal Throat

Product Brochure For A3535

Specific Features



A3535



Fully Down



Supplied with Load Rated Bow Shackle



Handle for Swivelling Crane



Release Valve




Single Action Hydraulic Pump



Locking Handle for Swivel Crane



Rear View



Dimensions

Product Brochure For A3535

Recommended Accessories

A354

Swivel Crane - Truck or Ute



A356

Swivel Crane - Truck or Ute



A340

Engine Stand - 907kg Capacity



A341

Engine Stand - 450kg Capacity



A350

Hydraulic Engine Crane



H300

Round Sling



H305

Round Sling



H307

Round Sling



Product Brochure For A3535

H310
Round Sling



H312
Round Sling



H316
Flat Sling



H318
Flat Sling



H320
Flat Sling



H322
Flat Sling



H324
Flat Sling

