


Product Brochure For B023

Swivel Head Metal Cutting Band Saw - BS-10

400 x 230mm (W x H) Rectangle Capacity



| | |
|---------------------------------|----------------------|
| ORDER CODE: | B023 |
| MODEL: | BS-10 |
| Operation Type: | Fixed |
| Round @ 90° (mm): | 250 |
| Round @ 45° (mm): | ~ |
| Round @ 60° (mm): | ~ |
| Square @ 90° (mm): | 230 |
| Square @ 45° (mm): | ~ |
| Square @ 60° (mm): | ~ |
| Rectangle (W x H) @ 90° (mm): | 400 x 230 |
| Rectangle (W x H) @ 45° (mm): | ~ |
| Rectangle (W x H) @ 60° (mm): | ~ |
| Coolant System: | Yes |
| Table Working Height (mm): | ~ |
| Cutting Head Beam Type: | Manual |
| Cutting Head Beam Return: | Manual Return |
| Cutting Head Down Feed Control: | Adjustable Hydraulic |
| Vice Clamping Fixture: | Manual |
| Bundle Cutting Fixture: | ~ |
| Blade Steps / Speeds (M/Min): | 19-31-48-78 |
| Blade Size (L x W x T) (mm): | 3352 x 27 x 0.9 |
| Motor Power (kW / hp): | 1.5 / 2 |
| Voltage / Amperage (V / amp): | 415 |
| Nett Weight (kg): | 430 |



Features

- 400 x 230mm (W x H) rectangular capacity
- Adjustable hydraulic feed cutting rate for multiple applications
- Mitre cuts to 45° using full calibrated angle vice
- Built-in coolant system for maximum cutting efficiency
- Adjustable 4-speed pulley drive system enabling 19-31-48-78mpm cutting speeds
- Limit switch stops machine when cut is complete
- Electric control panel mounted on base for quick operation
- Fully adjustable blade guide for straight cutting
- Robust heavy duty cast Iron blade wheels
- Large mitre scale - easy to read
- Cast iron frame with heavy duty fabricated base
- Wire wheel brush to clean swarf from blade
- Heavy-duty gearbox drive
- 1.5kW / 2hp 415V motor

Product Brochure For B023

Recommended Accessories

B435

Metal Band Saw Blade - 3-4TPI Bi-Metal, Blade - 3352 x 25.4 x 0.90mm



B436

Metal Band Saw Blade - 4-6TPI Bi-Metal, Blade - 3352 x 25.4 x 0.90mm



B438

Metal Band Saw Blade - 6-10TPI Bi-Metal, Blade - 3352 x 25.4 x 0.90mm



B440

Metal Band Saw Blade - 10-14TPI Bi-Metal, Blade - 3352 x 25.4 x 0.90mm



S090A

Soluble Metal Cutting Fluid - 1 Litre



S090

Soluble Metal Cutting Fluid - 5 Litre



S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



Product Brochure For B023

S075

Cutting Tool Lubricant Paste - 200g



S074

Cutting Tool Lubricant Paste - 500g



S091

Soluble Metal Cutting Fluid - 20 Litre



L818

Roller Conveyor



L822

Roller Conveyor Stand



W3434

Roller Stand



W3436

Roller Stand - V-Type




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



O000

SpillFix Universal Organic Absorbent



O043

Rust & Corrosion Preventive



O042

General Purpose Lubricant & Corrosion Inhibitor



Product Brochure For B023

O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive

