Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For B8111

6096mm (20ft) Rotary Positioning Table - IDX-20-250-M

63.5mm Index Chuck Thru Hole
Suits RDB-250 Hydraulic Pipe & Tube Bender

Ex GST	Inc GST
$11,950.00	$13,145.00



ORDER CODE:	B8111
MODEL:	IDX-20-250-M
Part Number:	~
Type:	Rotary Positioning Table
Degree of Bend (Max) (Deg):	~
Size (inch / mm):	20ft / 6096mm Table Length & 63.5 Index Chuck Thru Hole & 6.35 - 114.3 OD in Chuck
CLR - Centre Line Radius (inch / mm):	~
Recommended Min. Wall Thickness (inch / mm):	~
Material OD (inch / mm):	~
Suits Spigot Size (inch / mm):	~
Suits Machine Model:	RDB-250
Nett Weight (kg):	233

Description

What is the perfect complement to any computer controlled Baileigh Tube and Pipe Bender? A rotary indexing table, of course.
An RDB-250 tube bender fitted with a rotary positioning table allows for accurate bends in varying planes, as well as consistent measurements between bends. The IDX-10-250 is a 3048mm (10ft) table but other tables for the RDB-25 are available in lengths of 4572mm (15ft), and 6096mm (20ft) as well, call for the pricing of the longer tables. And because only some jobs require the rotary indexing table, it can be attached or taken off of the bender with ease.

The table comes with an 203.2mm three jaw chuck with 63.5mm thru hole that allows for longer pieces of tubing than the table length. Chuck can handle up to 114.3mm OD. The minimum OD is 6.35mm. The table has a linear indicator strip so the operator can set up accurate distances between bends. Mechanical stops can be positioned for the start of each bend. Using the mechanical stops is very beneficial for repeatability on bigger production runs. Another nice feature of the table is that the positioning carriage rolls on a precision V block rail and rides the rail using V-block bearings. These bearings are placed on eccentric shafts, which allows for tolerance adjustment allowing the most accurate results.

An optional digital readout system is also available, here.

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au


Specific Features


Mount


Mount 2



Screw



Adjuster


Rollers


Chuck 2


Chuck


Stop


Scale

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Recommended Accessories

B8085

Motorised Pipe & Tube Rotary Draw Bender

