Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For C158

Lever Block - HLB1600


1.6 T x 1.5 Metre

On Sale - New Release

Ex GST	Inc GST
~~$200.00~~	~~$220.00~~
$180.00	$198.00

ORDER CODE:	C158
MODEL:	HLB1600
Lift Capacity (kg / Tonne):	1600 / 0.8
Lift Height (Metre):	1.5
Weight (kg):	11





MODEL		HLB800	HLB1600
Capacity (kg)		800kg	1.6 TONNE
Standards Lift (m)		1.5	1.5
Test Load (Tonne)		0.8	1.6
Headroom H (mm)		320	320
Effort on Lever to lift full load (N)		140	240
No. of chain falls		1	1
Dimensions (mm)	A (mm)	148	176
	B (mm)	88	102
	C (mm)	135	155
	D (mm)	32	36
Chain Size		6	8
Net Weight (kg)		7	11

Description

HAFCO 1.6T Lever Blocks are heavy duty and ideal for rigging, construction, and mining applications. They feature a Grade 80 alloy load chain and a robust, space-saving steel body.
The ID plates are made from stainless steel, and the unit contains no aluminium components. Each unit is AS 1418.2 compliant and supplied with a test certificate for quality assurance.

Features

- Rated capacity: 1.6T
- Ergonomically compact design
- Built for durability in harsh and rugged environments
- Quick and easy chain adjustment for fast load positioning
- Suitable for use in underground mining and heavy-duty applications
- Ball bearing-mounted to bottom hook enable smooth rotation under load
- Tested at a NATA-accredited facility in accordance with AS 1418.2
- Fully enclosed design with sealed gear and brake systems for superior protection and durability
- The short arm lever and precision gear ratio allow minimal effort to lift heavy loads with maximum
- HAFCO ID plates and rivets are made from stainless steel a non-conductive material for added safety and durability
- Each HAFCO Lever Block is load-tested to its rated capacity and supplied with a HAFCO test certificate, traceable to its stamped identification side plate

- Standard Lift: 1.5 Metres
- Test Load: 1.6 Tonne
- Headroom (H): 300mm
- Effort on lever to lift full load: 206N
- No. of chain falls: 1
- Chain Size: 6 x 24mm
  Length of lever handle (L): 415mm

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

•

Specific Features


Main View Handle Down


Side View


Front View


Lever Handle Mechanism


Top Hook Assembly


Bottom Hook Assembly


Length Chain End

Recommended Accessories

H300
Round Sling



H316
Flat Sling



H305
Round Sling



H318
Flat Sling



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For C158

H308
Round Sling




H307
Round Sling



H320
Flat Sling



H310
Round Sling



H314
Round Sling



H322
Flat Sling



H312
Round Sling



H324
Flat Sling



C146
Girder Clamp



C147
Girder Trolley



C148
Girder Trolley



C188
Mobile Girder Rail Gantry



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For C158

K088

Mobile Girder Rail Gantry Package Deal

K090

Mobile Girder Rail Gantry Package Deal

