

## Product Brochure For C2985

### Drill Chuck - Keyed Type - Standard Duty

Ø1 - Ø16mm

JT-3 Taper Mount



ORDER CODE:	C2985
Duty Type:	Standard Duty
Type:	Keyed
Capacity (mm):	1 - 16
Mount:	JT3
Spare Chuck Key to suit:	-
Nett Weight (kg):	0.98



#### Description

Standard duty drill chuck. The chuck is mounted by driving the taper mounted chuck onto a tapered arbor or spindle

#### Features

- Robust design

#### Includes

- Chuck key

Product Brochure For C2985

**Specific Features**



Chuck and Key



Chuck Key

**Recommended Accessories**

D442A  
 2MT x JT3 Drill Chuck Arbor

D443A  
 3MT x JT3 Drill Chuck Arbor

D454A  
 4MT x JT3 Drill Chuck Arbor

D445  
 R8 x JT3 Drill Chuck Arbor -  
 7/16" UNF Threaded Shank



D451  
 NT30 x JT3 Drill Chuck Arbor

D448  
 NT40 x JT3 Drill Chuck Arbor -  
 M16 Threaded Shank

D1282  
 Imperial 135° Precision HSS  
 Drill Set - 29 Piece

D1272  
 Metric 135° Precision HSS Drill  
 Set - 25 Piece



Product Brochure For C2985

D126

Metric 135° Precision HSS Drill Set - 170 Pieces



D502

HSS Centre Drill - No. 2




D503

HSS Centre Drill - No.3



D504

HSS Centre Drill - No. 4



D505

HSS Centre Drill - No. 5



T019

Metric HSS Hand Tap & Drill Set - 29 Piece



D107

HSS Step Drill Sets



D106

Countersink Sets – 90° Three Flute



D105

Deburring Countersink Sets – 90° Cross Hole

