

Product Brochure For C431

Plasma Cutter - RAZOR™ CUT 120

120 Amps - 45mm Steel Capacity, U14002K

6 Metre SC120 Plasma Torch



ORDER CODE:	C431
MODEL:	RAZOR™ CUT 120
Part Number:	U14002K
Cutting Capacity - Steel (mm):	45
Cutting Capacity - Aluminium (mm):	36
Voltage / Amperage (V / amp):	415 / 32
Recommended Plug (amp):	32
Duty Cycle:	60% @ 120 amp
Current Range (amp):	20-120
Air Pressure Required (PSI):	75
Air Flow Capacity Required (L/min /Bar):	189 / ~
Recommended Generator KVA (kVA):	~
Dimensions (mm):	~
Nett Weight (kg):	24



Description

The RAZOR™ CUT 120 is designed for maximum performance, offering the highest level of cutting performance from UNIMIG's range. Capable of clean cutting 45mm and severing 60mm, this machine is for the professional needing maximum power from a portable machine.

Features

- Pilot Arc Start
- Digital Screen
- 45mm Clean Cut
- 60mm Severance
- 2T/4T Torch Controls
- Air Test
- CNC Port for remote start applications

Includes

- RAZOR™ CUT 120 Plasma Cutter
- 6m SC120 Plasma Torch
- 4m 300 AMP Earth Clamp
- Air Regulator
- CNC Port for remote start applications
- Operating Manual

Product Brochure For C431

Specific Features



C431



Front



Right View

Recommended Accessories

C590

Electrodes

C591

1.1mm Cutting Tips

C592

1.4mm Cutting Tips

C593

1.6mm Cutting Tips



C594

Swirl Ring

C595

Retaining Cup Heavy Duty

C596

Stand-off Guide

C660

Plasma Circle Cutting Kit



Product Brochure For C431

W107

Safety Specs - Shade 5



W1000A

Promax HV5 Welding Jacket



W1001A

Promax Blue FR Welding Jacket



W1002A

Professional Promax BL7
Welding Jacket




W100

ROGUE™ Heavy Duty Welding
Gloves - 400mm



L3456

How to Weld Book



W225

Welding Curtain

