

Product Brochure For C491

Plasma Cutter - UNI-PLAS 60/90/120/150

#KUP150

40mm Steel Capacity



ORDER CODE:	C491
MODEL:	UNI-PLAS 60/90/120/150
Part Number:	-
Cutting Capacity - Steel (mm):	40
Cutting Capacity - Aluminium (mm):	35
Voltage / Amperage (V / amp):	415 / 63
Recommended Plug (amp):	63
Duty Cycle:	70% @ 150 amp
Current Range (amp):	60-90-120-150
Air Pressure Required (PSI):	80
Air Flow Capacity Required (L/min /Bar):	230 / ~
Recommended Generator KVA (kVA):	-
Dimensions (mm):	710 x 720 x 540
Nett Weight (kg):	-



Description

When the requirements are clean, precise and reliable cutting, the UNIPLAS range of Plasma cutting machines are the only choice. From small workshops to large scale fabrications, whenever quality output is essential, a UNIPLAS cutter is the cost-effective way to improve your competitiveness. With the added benefit of High Frequency any conductible metal can be cut smoothly, even with painted or rusty surfaces.

CUTS:
 - STEEL
 - ALUMINIUM
 - STAINLESS
 - COPPER
 - BRASS

Features

- Ideal for general workshop use
- Dual amperage setting
- Fan-cooled copper-wound transformer
- Thermal overload protection
- Quality torch supplied with unit
- 415V

Product Brochure For C491

Recommended Accessories

C521

Classic Industrial Series 3
Phase Reciprocating - Pilot Air
Compressor



W100

ROGUE™ Heavy Duty Welding
Gloves - 400mm



W001

Auto Darken Welding Helmet -
9-13 Shade




W002

Auto Darken Welding Helmet -
9-13 Shade



L3456

How to Weld Book



W225

Welding Curtain



C650

Diffuser



C642

Spacer Spring



Product Brochure For C491

C644

Double Pointed Spacer

