

Product Brochure For C542

Silenced Pilot Air Compressor - K30SI

7.5HP 415 Volt



Ex GST	Inc GST
\$6,770.00	\$7,447.00

ORDER CODE:	C542
MODEL:	K30SI
Cylinder Stages (No.):	2 / 2
Max. Pressure (PSI):	174
Max. Pressure (kPa):	1200
Piston Displacement (CFM / LPM):	30.8 / 871
Free Air Delivery (CFM / LPM):	24.1 / 681
Motor Power (kW / hp):	5.5 / 7.5
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	182




Description

High standards ensure reliability and service life, however, a full coverage for 12 months on all products listed gives complete confidence. With over 30 years experience providing reliability and versatility in the compressed air industry, Pilot Air can meet your requirements.

Features

- Steel cabinets lined with acoustic foam to deaden noise and maximise cooling air flow
- Thermostat-controlled cooling fans combined with over-temp. protection ensure correct operation
- K-Series db(A) ranges approx. 63 to 68

Product Brochure For C542



Specific Features



Fan Cooled



Open Case

Product Brochure For C542

Recommended Accessories

C550

Industrial Vertical Air Receiver



C347

ISO 150 Air Compressor Oil



C346

ISO 150 Air Compressor Oil



H045

Retractable Air Hose Reel - Includes Air Dusting gun



H040

Industrial Retractable Air Hose Reel



H008

Industrial Polymer Air Hose



H018

Recoil PU Air Hose



A250

Hi Flow Air Duster Gun



Product Brochure For C542

A251
Hi Flow Air Duster Gun



S440
Air Blow Gun



A264
Professional Tyre Inflator with
Linear Gauge



A043
Air Micro Die Grinder Kit



A046
Air Pop Rivet Kit




A040
Air Die Grinder



A041
Air Die Grinder - Extended Shaft
5" (127mm)



F940
High-Flow One Touch System
Air Fittings



F941
High-Flow One Touch System
Air Fittings



F945
High-Flow One Touch System
Air Fittings



F950
High-Flow Air Fittings



F951
High-Flow Air Fittings




Product Brochure For C542

F955
High-Flow Air Fittings



F803
Air Fittings



F811
Air Fittings



F930
Air Fittings

