

Product Brochure For D152

## Heavy-Duty Belt Drive - Pedestal Drill - PD-26

Table Tilts Left & Right To 45°

Ø31.5mm Drill Capacity with 3MT Spindle Taper



ORDER CODE:	D152
MODEL:	PD-26
Type - Bench / Pedestal:	Pedestal
Duty Type:	Heavy-Duty
Drilling Diameter Capacity (mm):	Ø31.5
Spindle Taper (MT):	3
Spindle Travel (mm):	120
Throat Depth (mm):	260
Quill Diameter (mm):	62
Collar Diameter (mm):	75
Column Diameter (mm):	92
Spindle To Table (mm):	705
Spindle To Base (mm):	1190
Table Shape:	Square
Table Size (mm):	475 x 430
Work Light:	Yes
Micro Switch On Pulley Guard:	Yes
Drive Belt Type:	A Section
Spindle Speed Steps (No.):	12
Spindle Speed Range (rpm):	110 - 2880
Motor Power (kW / hp):	1.125 / 1.5
Voltage / Amperage (V / amp):	240 / 10
Overall Height (mm):	1700
Nett Weight (kg):	144



### Features

- Ideal for home, workshop or farm use
- Quiet V-belt drive system
- Quick action belt tensioning lever
- Drill chuck key holder mounted on left side of the machine
- Adjustable safety drilling chuck guard with flip up screen
- One piece cast iron drilling lever
- Safety magnetic-type switch
- Safety micro switch on pulley guard
- Rack & pinion table height adjustment with locking lever
- Thick walled column ensuring greater rigidity
- Table tilts left & right to 45°
- Drilling depth stop setting with scale
- Work light mounted underneath drill head to provide direct light onto the work piece
- T slotted work table
- 12 Spindle speeds - 110, 190, 220, 310, 380, 430, 860, 1170, 1260, 1680, 2000, 2880rpm
- 240V Aluminium fan-cooled motor

### Includes

- 16mm keyed drill chuck and arbor
- Chuck key to suit
- Drill drift tool to remove drill chuck or taper shank drills

Product Brochure For D152

**Specific Features**



Left View



Head Side View



Side View Of Head



1 Piece Cast Iron Drilling Lever



Tilting Cast Iron Table




Drilling Depth Stop Setting with Scale



Adjustable Safety Chuck with Flip Up Screen



Work Light



Safety Micro Switch on Pulley Guard



Work Table



Chuck Key Holder



Speed Chart



Magnetic Switch and Light Switch

Product Brochure For D152

**Recommended Accessories**

**W3425**  
 Drill Press Roller Support



**C086**  
 Clamp Kit Tee Nuts



**P220**  
 Gravity Feed Coolant System



**S090A**  
 Soluble Metal Cutting Fluid - 1  
 Litre



**D1272**  
 Metric 135° Precision HSS Drill  
 Set - 25 Piece



**D1282**  
 Imperial 135° Precision HSS  
 Drill Set - 29 Piece



**D126**  
 Metric 135° Precision HSS Drill  
 Set - 170 Pieces



**D1171**  
 Metric Industrial HSS Reduced  
 Shank Drill Set



Product Brochure For D152


**D1181**  
 Imperial Industrial HSS Reduced  
 Shank Drill Set




**D117**  
 Metric HSS Reduced Shank Drill  
 Set




**V124**  
 Drill Press Vice



**V125**  
 Drill Press Vice



**V126**  
 Drill Press Vice




**V144**  
 Drill Press Vice



**V145**  
 Drill Press Vice



**V141**  
 Safeway Precision Drill Press  
 Vice



**V142**  
 Safeway Precision Drill Press  
 Vice



**V143**  
 Safeway Precision Drill Press  
 Vice



**V114**  
 Tilting Drill Press Vice



**V1204**  
 Compound Drill Vice



Product Brochure For D152

V1205  
Compound Drill Vice



T004  
Reversible Tapping Chuck - Adjustable Clutch



T005  
Reversible Tapping Chuck - Adjustable Clutch



C292  
Industrial Drill Chuck - Keyless Type



C294  
Industrial Drill Chuck - Keyless Type



D443  
3MT x JT6 Drill Chuck Arbor



D443A  
3MT x JT3 Drill Chuck Arbor



D422  
Drill Sleeve - Morse Taper



P090  
Pipe & Tube Notcher Attachment



O000  
SpillFix Universal Organic Absorbent



O043  
Rust & Corrosion Preventive



O042  
General Purpose Lubricant & Corrosion Inhibitor



Product Brochure For D152

O040  
Rust & Corrosion Preventive



O044  
Rust & Corrosion Preventive



M800  
Rubber Mat - Anti-Fatigue



M805  
Rubber Mat - Anti-Fatigue

