

Product Brochure For D168

Radial Arm Drill - Z3050x16

Ø50mm Drilling Capacity

350 - 1600mm Spindle To Column



ORDER CODE:	D168
MODEL:	Z3050X16
Drill Capacity (mm):	Ø50
Thread Tapping Capacity:	M42
Spindle Taper (MT):	5
Spindle Travel (mm):	315
Quill Diameter (mm):	79
Spindle To Column (min-max) (mm):	350 - 1600
Spindle To Box Table (max) (mm):	750
Spindle To Base (max) (mm):	1220
Table Type:	Square
Box Table Size (LxWxH) (mm):	630 x 500 x 500
T-slot Size (mm):	20
Automatic Quill Feed (mm/rev):	16 (0.04-3.2)
Work Light:	Yes
Coolant System:	Yes
Spindle Speed Steps (No.):	16
Spindle Speed Range (rpm):	25 - 2000
Motor Power (kW / hp):	4 / 5.5
Motor Voltage (V):	415
Nett Weight (kg):	4300



Features

- Heavy duty precision manufactured radial arm drilling machines
- Hydraulic column & head clamp ensures fixed tool positioning
- Oil-bath lubricated gearbox with hardened & ground gears
- 16 speed auto down-feed: 0.04 ~ 3.2 (mm/rev)
- Unique hydraulic operated feed & spindle drive system
- Arm height adjusted via vertical leadscrew & heavy duty induction motor
- High quality fine grain cast iron with ribbing ensures extremely low vibration
- Coolant pump system with flexible hose
- Drill capacity 50mm
- Work light mounted underneath arm providing direct light on work piece
- Quiet and smooth operation

Includes

- Coolant pump
- Worklight & toolbox
- Heavy duty tee-slotted box table

Product Brochure For D168

Recommended Accessories

V138

Drill Press Vice



V139

Drill Press Vice

D339

4MT Morse Taper Shank Drill Bit



D381

5MT Morse Taper Shank Drill Bit



D424

Drill Sleeve - Morse Taper




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



S090A

Soluble Metal Cutting Fluid - 1 Litre



Product Brochure For D168

S090

Soluble Metal Cutting Fluid - 5 Litre



S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075

Cutting Tool Lubricant Paste - 200g



S074

Cutting Tool Lubricant Paste - 500g



O000

SpillFix Universal Organic Absorbent



O043

Rust & Corrosion Preventive



O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive

