

## Product Brochure For D322

### 3MT Morse Taper Shank Drill Bit

Ø23.5mm

M35 Grade HSS including 5% Cobalt



#### Description

Alcock drill bits are manufactured from M35 grade HSS including 5% cobalt, this high-grade material offers superior drilling performance and durability. Each drill bit features precision-ground flutes and a 135° cutting point angle, which is ideal for drilling in tougher materials while enhancing longevity and performance. The morse taper shank ensures positive driving for heavy duty drilling & is supplied with a tang for easy ejection making it an ideal choice for any workshop.

#### Features

- M35 Grade HSS including 5% Cobalt
- Precision ground flutes
- 135° cutting point for drilling steels and tough materials
- Morse taper shank with tang
- Manufactured to DIN 345 ?Standard
- Bronze oxide finish to reduce friction
- Supplied in a protective tube


Ex GST

\$75.00

Inc GST

\$82.50

|                              |         |
|------------------------------|---------|
| ORDER CODE:                  | D322    |
| Taper (MT):                  | 3       |
| D - Drill Diameter (Ø) (mm): | 23.5    |
| OAL - Overall Length (mm):   | 276     |
| FL - Flute Length (mm):      | 155     |
| Standard (DIN):              | DIN 345 |
| Nett Weight (kg):            | 0.64    |



# Morse Taper Shank DRILL BITS

- M35 Grade HSS including 5% Cobalt
- 135° cutting point for steels and tough materials
- Morse taper shank with tang • Precision ground flutes



**HSS**  
M35 GRADE

**5%**  
COBALT

**DIN**  
345


**Ø12.5 ~ 52mm**

  
**135°**

  
MORSE TAPER  
SHANK

  
HIGH HEAT  
RESISTANCE

**Drill Sizes  
Available**



## Product Brochure For D322

---

### Specific Features



135 Degree Split Point M35 HSS 5% Cobalt



Alcock