

Product Brochure For D330

3MT Morse Taper Shank Drill Bit

Ø27.5mm

M35 Grade HSS including 5% Cobalt



Description

Alcock drill bits are manufactured from M35 grade HSS including 5% cobalt, this high-grade material offers superior drilling performance and durability. Each drill bit features precision-ground flutes and a 135° cutting point angle, which is ideal for drilling in tougher materials while enhancing longevity and performance. The morse taper shank ensures positive driving for heavy duty drilling & is supplied with a tang for easy ejection making it an ideal choice for any workshop.


Features

- M35 Grade HSS including 5% Cobalt
- Precision ground flutes
- 135° cutting point for drilling steels and tough materials
- Morse taper shank with tang
- Manufactured to DIN 345 ?Standard
- Bronze oxide finish to reduce friction
- Supplied in a protective tube

Ex GST
\$110.00

Inc GST
\$121.00

ORDER CODE:	D330
Taper (MT):	3
D - Drill Diameter (Ø) (mm):	27.5
OAL - Overall Length (mm):	291
FL - Flute Length (mm):	170
Standard (DIN):	DIN 345
Nett Weight (kg):	0.84



Morse Taper Shank DRILL BITS

- M35 Grade HSS including 5% Cobalt
- 135° cutting point for steels and tough materials
- Morse taper shank with tang • Precision ground flutes



HSS
M35 GRADE

5%
COBALT

DIN
345


Ø12.5 ~ 52mm

135°

**MORSE TAPER
SHANK**

**HIGH HEAT
RESISTANCE**

**Drill Sizes
Available**




Product Brochure For D330

Specific Features



135 Degree Split Point M35 HSS 5% Cobalt



Alcock