

Product Brochure For D332

3MT Morse Taper Shank Drill Bit

Ø28.5mm

M35 Grade HSS including 5% Cobalt



Description

Alcock drill bits are manufactured from M35 grade HSS including 5% cobalt, this high-grade material offers superior drilling performance and durability. Each drill bit features precision-ground flutes and a 135° cutting point angle, which is ideal for drilling in tougher materials while enhancing longevity and performance. The morse taper shank ensures positive driving for heavy duty drilling & is supplied with a tang for easy ejection making it an ideal choice for any workshop.

Features

- M35 Grade HSS including 5% Cobalt
- Precision ground flutes
- 135° cutting point for drilling steels and tough materials
- Morse taper shank with tang
- Manufactured to DIN 345 ?Standard
- Bronze oxide finish to reduce friction
- Supplied in a protective tube


Ex GST

\$115.00

Inc GST

\$126.50

ORDER CODE:	D332
Taper (MT):	3
D - Drill Diameter (Ø) (mm):	28.5
OAL - Overall Length (mm):	296
FL - Flute Length (mm):	175
Standard (DIN):	DIN 345
Nett Weight (kg):	0.98



Morse Taper Shank DRILL BITS

- M35 Grade HSS including 5% Cobalt
- 135° cutting point for steels and tough materials
- Morse taper shank with tang • Precision ground flutes



HSS
M35 GRADE

5%
COBALT

DIN
345


Ø12.5 ~ 52mm

135°

**MORSE TAPER
SHANK**

**HIGH HEAT
RESISTANCE**

**Drill Sizes
Available**




Product Brochure For D332

Specific Features



135 Degree Split Point M35 HSS 5% Cobalt



Alcock