

Product Brochure For D9505

Portable Magnetic Drill - HF-30A

Includes 3 x Automatic Feeding Speeds
 Ø35mm Drill Capacity - Automatic Feed



ORDER CODE:	D9505
MODEL:	HF-30A
Feed:	Automatic
Drilling Capacity Range - Manual (mm):	12 - 35
Drilling Capacity Range - Auto Feed (mm):	12 - 30
Height Adjustment (mm):	~
Stroke (mm):	~
Maximum Thickness (mm):	50
Suits Cutter Shank Size (mm):	19
Number of Drilling Speeds (No.):	1
Full Load Drilling Speeds (rpm):	330
No Load Drilling Speeds (rpm):	550
Magnetic Holding Power (kg/f):	1529
Motor Power (kW / hp):	1.1 / 1.46
Voltage / Amperage (V / amp):	240 / 10
Machine Weight Only (kg):	~
Nett Weight (kg):	21.6



Description

Manufactured in Taiwan

Hafco HF-30A features automatic feed for where repetitive productivity is required

On-site hole cutting in steel plates, H-Beams shaped bars, framework, ship building, bridge construction and repair, steel reinforcements, and many other metal working and construction jobs.

NOTE: Shown with optional broach cutter

Features

- Compact design with heavy duty magnet
- Drills up to 30mm diameter through 50mm plate in the automatic feed mode, and 35mm diameter through 50mm plate with manual feed
- Sturdy feed handles
- 3 speed feed motor to accommodate different size cutters
- CE approved

- NOTE: HSS jobber drills with optional drill chuck can only be used in manual feed

Includes

- Coolant tank kit
- Safety chain
- Blow mould plastic case

Product Brochure For D9505

Specific Features



Semi Auto Feed Switching



Right Side View



Durable Plastic Case

Recommended Accessories

D109

HSS Broach Drill Set - 6 Piece



D9590

HSS Countersink / Chamfer Cutter



D9512

HSS Drill Broach Cutter



D9513

HSS Drill Broach Cutter



D9550

HSS Drill Broach Cutter



D9514

HSS Drill Broach Cutter



D9516

HSS Broach Drill Cutter



D9552

HSS Drill Broach Cutter



Product Brochure For D9505

D9517

HSS Drill Broach Cutter



D9518

HSS Drill Broach Cutter



D9554

HSS Drill Broach Cutter



D9520

HSS Drill Broach Cutter



D9556

HSS Drill Broach Cutter



D9522

HSS Drill Broach Cutter



D9558

HSS Drill Broach Cutter



D9523

HSS Drill Broach Cutter



D9524

HSS Drill Broach Cutter



D9560

HSS Drill Broach Cutter



D9525

HSS Drill Broach Cutter



D9562

HSS Drill Broach Cutter



Product Brochure For D9505

D9526

HSS Drill Broach Cutter



D9564

HSS Drill Broach Cutter



D9528

HSS Drill Broach Cutter



D9566

HSS Drill Broach Cutter



D9530

HSS Drill Broach Cutter



D9568

HSS Drill Broach Cutter



D9532

HSS Drill Broach Cutter



D9570

HSS Drill Broach Cutter



D9534

HSS Drill Broach Cutter



D9572

HSS Drill Broach Cutter



D9535

HSS Drill Broach Cutter



D9574

HSS Drill Broach Cutter



Product Brochure For D9505

D9576

HSS Drill Broach Cutter



D9578

HSS Drill Broach Cutter



D9580

HSS Drill Broach Cutter



D9582

HSS Drill Broach Cutter



D9584

HSS Drill Broach Cutter



D9504

Quick Release Chuck - Broach
Cutter Adaptor



D9501

Drill Chuck & Adaptor




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



S090A

Soluble Metal Cutting Fluid - 1
Litre



S090

Soluble Metal Cutting Fluid - 5
Litres



O000

SpillFix Universal Organic
Absorbent



Product Brochure For D9505

O043

Rust & Corrosion Preventive



O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive

