

Product Brochure For H2556

## Coupled Electric Chain Hoist + Electric Trolley - TECH3PH2SP5TET

5 Tonne x 6 Metre Lift  
 Two Speed: 3m/min. Lift Speed

**Special Order**

Ex GST

Inc GST

**\$6,362.00**

**\$6,998.20**



ORDER CODE:	H2556
MODEL:	TECH3PH2SP5TET
Capacity (Tonne):	5
Lift Height (Metre):	6
Lift Speed (m/min):	3m/min
Motor Power (W):	3.0kw
Voltage (V):	415



### Description

The TOHO Three Phase 415V Coupled Electric Chain Hoist & Trolley is purpose-built for heavy-duty lifting applications, providing the strength and reliability required to move larger and heavier loads with ease.

Backed by TOHO's reputation for quality, durability, and performance, this hoist delivers dependable operation across a wide range of industrial environments. With decades of proven reliability in Australasia, TOHO electric chain hoists are trusted for demanding applications where safety and efficiency are critical.

Each model is tested in accordance with AS1418.2 standards, ensuring compliance and peace of mind. Designed for versatility, the TOHO 3-Phase hoists offer an extensive operating range that makes them well-suited to most lifting applications.

### Features

- Light weight, compact design with high efficiency motor
- Pressed steel structure, high strength body
- High tensile alloy steel top & bottom hooks
- Grade 80 - 7.1mm Alloy Steel load chain
- Limit switches fitted at top and bottom ends to prevent chain run-out
- High quality chain 7.1mm diameter
- 415V, 50Hz Dual speed Motor 3.0kw. (3 Phase)
- Complies with ASNZS 1418.2 standard
- IP Rating Hoist: IP54 Control: IP65

### Includes

- Thermal Prevention Device Fitted
- Limit switches fitted at top and bottom ends to prevent chain runout
- Load Limited

### Optional Accessories

- Available with customisable chain lengths and an optional wireless remote for added convenience (additional costs apply)

Product Brochure For H2556

Model		0206	0306	0506
Dimension (mm)	H	770	830	1015
	A	615	615	615
	B	295	295	295
	D	430	430	430
	E	265	265	325
	K	Φ49	Φ59	Φ60
	L	40	48	48
	N	30	35	43
	W	237	265	296
	U	127	140	156
	R	142	142	142
	T	231	231	231
	Chain	Φ10.0	Φ11.2	Φ11.2

**Recommended Accessories**

C148  
Girder Trolley

H311  
Round Slings

H310  
Round Slings

H314  
Round Slings



Product Brochure For H2556

H315  
Round Sling



H312  
Round Sling



H313  
Round Sling



H322  
Flat Sling



H324  
Flat Sling



H352  
13mm 2T Grade S - Lifting Bow  
Shackle

