

Product Brochure For K017C

180 AC/DC TIG Welder Package Deal - VIPER™

5-180 Amps Welding Current Range



ORDER CODE:	K017C
Type:	TIG WELDER
MODEL:	VIPER™ 180 AC/DC
Part Number:	#KUM-M-VTIG180ACDC
Voltage / Amperage (V / amp):	240 / 10
Recommended Plug (amp):	10
Input Frequency (Hz) (Hz):	~
Input Current (amp):	24
Imax (A) (amp):	~
Ieff Current (amp):	8
Power Rating (kVA):	~
Rated Output Current (amp / V):	~
Range of Output Current (amp):	180 - TIG & 130 - MMA
Arc Force (amp):	0 - 40
No Load Voltage (V):	70
Pre-Flow (S) (sec):	0.1 - 3
Clean Width (%) (%):	~
Slope-Down Time (S) (sec):	0 - 15
Post-Flow Time (sec):	0.5 - 15
Base Current (%):	~
Pulse Frequency (Hz):	0.2 - 200
Pulse Duty Cycle (%):	10 - 90
TIG Welding Thickness Range (mm):	~
MMA Welding Thickness Range (mm):	~
MMA Electrode Range (mm):	~
Duty Cycle 40 Deg C - TIG (% @ amp):	10 @ 180
Duty Cycle 40 Deg C - MMA (% @ amp):	10 @ 130
Duty Cycle 40 Deg C - Plasma (% @ amp):	~
Plasma Severance Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Aluminium (mm):	~
Dinse Connector:	~
Protection Class:	IP21S
Insulation Class:	F
Standard:	~
Remote Control (Yes / ~):	~
Recommended Generator (kVA):	9
Efficiency (%):	~
Power Factor:	~
Dimensions (mm):	502 x 218 x 382
Nett Weight (kg):	12.8

Description

The VIPER TIG 180 AC/DC is the perfect AC/DC TIG & STICK Welder for the DIY Enthusiast wanting both AC and DC TIG welding capabilities at an affordable price. Fitted with a 10 AMP Plug, this machine excels in the home workshop. The VIPER TIG 180 AC/DC allows for full control over the TIG welding process to ensure you can maximise your results from start to finish. Controllable parameters include Pre Gas Time, Start Current, Up Slope and Down Slope Time, Finish Current Level and Post Gas Time, among many others.

The all-new ARC TORCHOLOGY T2 TIG Torch comes standard with the VIPER TIG 180 AC/DC, offering up to 30% more power and longer consumable life-cycles. A Remote Foot Control (UTJRFC-4) can also be plugged into the machine for even more versatility. With all of these features packed into an affordable package, the VIPER TIG 180 AC/DC is a must-have for any DIY TIG enthusiast.

10 AMP PLUG

Plug and play. A 10 AMP power plug can be used on any domestic outlet. It's perfect for the DIY home handyman or the professional welder

Product Brochure For K017C

looking for a machine that can be used almost anywhere.

HIGH-FREQUENCY TIG

No need to arc up. High-Frequency TIG (H/F TIG) gives you more control when starting and stopping the arc. The arc can be started without contacting the workpiece reducing the risk of contaminating the tungsten or the weld.

PULSE FUNCTION

Going a little thin on top? Pulse TIG function allows you to control the heat, which in turn helps minimise distortion in the parent material. This is exceptionally useful on thin gauge materials.

Features

- 10 AMP Plug
- AC/DC H/F TIG & PULSE TIG
- Pre Gas 0.1 - 3.0 sec
- Start Amperage 5 - 160A
- Up Slope 0 - 10 sec
- Peak Amp 5 - 180A
- AC Square Wave 20 - 250Hz
- AC Balance Control ± 10
- Down Slope 0 - 15 sec
- Adjustable Finish Amperage 5 - 180A
- Post Gas 0.5 - 15.0 sec
- STICK (MMA) with ARC FORCE
- Thermal overload protection
- IP21S rating for environmental/safety protection
- Generator compatible (recommend KVA minimum)
- VRD (Voltage Reduction Device)
- Foot Control Ready

Includes

- Core Series Welding Helmet - Revenant
- ROGUE TIG Welding Gloves
- T2 Consumable Starter Kit
- VIPER TIG 180 AC/DC Power Source
- 4m High Performance T2 TIG Torch (including consumables)
- 4m Twist Lock Electrode Holder
- 300 Amp Earth Clamp & Lead
- Argon Flowmeter Regulator
- 2m Gas Hose Complete with fittings
- Operating Manual

Specific Features



Machine Package



Revenant Welding Helmet



Tig Torch Consumable Pack



ROGUE™ TIG Welding Gloves

Product Brochure For K017C

Recommended Accessories

W241
 Universal Welder Trolley



W2415
 TRI-CART Multi-Machine
 Welding Trolley



W501A
 M350 MIG Torch Consumables
 Starter Kit



W504A
 T2 Tig Torch Consumable Pack



W10361
 Magnetic TIG Torch Rest



W119
 Anti-Spatter Spray



O0184
 Ar/O₂ - Argon 98% & Oxygen
 2% Disposable Cylinder



O0185
 CO₂/Ar - 86% Argon & 14%
 Carbon Dioxide Disposable
 Cylinder



Product Brochure For K017C

O300
 Gas Refillable Cylinder



O304
 Gas Refillable Cylinder



O3045
 Gas Refillable Cylinder



O302
 Gas Refillable Cylinder



O306
 Gas Refillable Cylinder



O3065
 Gas Refillable Cylinder



O0171
 Argon Gas Regulator



W161
 Argon Gas Regulator-Bobbin
 Flowmeter



W160A
 Argon Gas Regulator-Twin
 Gauge



W5991
 Ø10mm Ceramic Nozzle



W5993
 1.6mm Collet Body



W5994
 2.4mm Collet Body



Product Brochure For K017C

W5996
 Head Gasket



W5997
 Heat Isolator



W5998
 Long Black Cap



W5999
 Short Back Cap



W590
 1.6mm Tig Tungsten Electrode -
 Zirconiated White



W596
 2.4mm Tig Tungsten Electrode -
 Zirconiated White



W597
 1.6mm Tig Tungsten Electrode -
 Ceriated Grey



W598
 2.4mm Tig Tungsten Electrode -
 Ceriated Grey



W002
 Auto Darken Welding Helmet -
 9-13 Shade



W1000A
 Promax HV5 Welding Jacket



W1001A
 Promax Blue FR Welding Jacket



W1002A
 Professional Promax BL7
 Welding Jacket



Product Brochure For K017C


W100

ROGUE™ Heavy Duty Welding
 Gloves - 400mm



L3456

How to Weld Book



W225

Welding Curtain



W125

Ø1.6mm TIG Filler Rod - Mild
 Steel



W126

Ø2.4mm TIG Filler Rod - Mild
 Steel



W127

Ø1.6mm TIG Filler Rod -
 Stainless Steel



W128

Ø2.4mm TIG Filler Rod -
 Stainless Steel

