Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K040

Thicknesser - HSS Blades & Accessories Package Deal - T-380A

380 x 150mm (W x H) Material Capacity



ORDER CODE:	K040
MODEL:	T-380A Package
Material Width Capacity (mm):	380
Material Height Capacity (mm):	150
Minimum Material Length (mm):	~
Maximum Depth of Cut (mm):	~
Cutter Type:	HSS Blades - Straight
Quantity of Cutters (No. x Type):	3 x Blades
Cutter Block Diameter (mm):	~
Cutter Block Speed (rpm):	~
Quantity of Spirals (No.):	~
Length of Table (mm):	~
Length of Table with Extensions/Rollers (mm):	~
Feed Speed (m/min):	~
Dust Outlet Diameter (mm):	~
Motor Power (kW / hp):	1.5 / 2
Plug Type (V / amp):	240 / 10
Floor Space (W x D x H) (mm):	~
Floor Space With Option Stand (W x D x H) (mm):	~
Nett Weight (kg):	210

Description

The Hafco T-380 thicknesser is a heavy duty machine with very substantial cast iron body and heavy gauge sheet steel base. The cast iron thicknessing table, which has a polished surface for reduced vibration and improved quality of cut, is supported on solid pillars at each corner and has extension rollers both front and back for improved timber support. The three knife cutter block gives a clean finish on the timber, and adjustment to the cutter knives is easily made by removing the top waste guard.

Steel rollers with ribbing ensure positive drive on the timber through the machine at a rate of 16 or 20 fpm via two speed gearbox, the feed roller pressure can be adjusted with the four adjusters on the top of the machine. The depth of cut is set by means of the cranked handle on the side using the setting scale positioned on the in-feed side or digital readout. Power is provided by a 1500W / 2hp 240V induction motor, housed within the base and transmitting power to the cutter block via a twin pulley vee belt drive system.

Features

- 380mm wide x 150mm high timber capacity
- Digital Height Gauge (Includes LR44 battery)
- Motor located in enclosed stand ensuring effortless rise/fall & less wear to mechanical components
- Solid cast iron construction
- 3 x HSS blades pre-set in cutter head with quick action blade change
- 2 speed gearbox
- 100mm dust chute
- Same model sold for over 20 years
- Quality Taiwanese Manufacturer

Includes

- 1 x T380A thicknesser
- 1 x 100kg roller stand
- 1 x 227kg mobile base
- 1 x set of replacement blades

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K040


Specific Features


Front View



2 Speed Feed Gearbox


Digital Height Readout


Robust 4 Post Design



On Off Switch


Side View

Recommended Accessories

2WK0105
BLADE SET HSS PKT 3



W394
Dust Collector



W344
Wood Dust Accessory Kit



W334
Dust Hose Reducer



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K040

W333
Dust Hose Reducer



W335
Blast Gate



W336
Dust Hose Elbow - 90 Degree



W337
Dust Hose Y Adaptor



W338
Dust Hose Universal Dust Hood



W339
Dust Hose Floor Sweeper Attachment



W340
Dust Hose Clamp



W930
Mobile Base



W931
Mobile Base - Heavy Duty



W343
Roller Stand



W343A
Roller Stand



W3434
Roller Stand

