


Product Brochure For K8123

OMEGA STUBBY S750 Wood Lathe - Schools / TAFE

400 Swing x 850mm Between Centres



ORDER CODE:	K8123
NSW DOE Item No.:	~
QLD DOE Item No.:	~
MODEL:	Schools / TAFE S750
Swing Over Bed (mm):	400 - 750
Between Centres (mm):	400 - 850
Spindle Taper (MT):	2
Spindle Thread (mm):	M30 x 3.5
Spindle Speeds (rpm):	Variable 50 - 3890
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	340



Description

We for many years have been working in close consultation with the education departments to ensure the most suitable equipment is provided to our schools and TAFE, not only does it comply with the departments stringent safety requirements but is built to last the distance. That's why we consider our company to be a specialist when it comes to supplying quality Wood Work and Metal Working Machinery for Public or Private Schools, TAFE Colleges and Trade Training Centres in all states of Australia.


Features

- A short-bed wood lathe on which you can also turn spindle work
- Heavy duty cast iron construction for less vibration and longer life
- Height-adjustable stand
- A 270kg heavyweight lathe which is modular. It can be assembled and disassembled quickly and moved by two people
- Headstock to base alignment controlled by machined keyways for accurate alignment
- Patented sliding and rotating bed
- Sliding the bed out allows you to work with various size material. Ability to turn platters, bowls or hollow-forms up to 30" in diameter and turn spindles up to 30" long
- Unique auxiliary bed attaches to the machine in five different locations with several orientations. This allows great flexibility
- 2hp 415V motor

Includes

- Ø200mm Face plate
- 2MT Live centre
- 2MT Spur Centre,
- Left hand tool slide
- Right hand tool slide
- 300mm Tool rest
- Universal bowl bed
- Self eject tail centre
- 24 Hole indexing attachment
- Vacuum port
- Remote stop/start & magnetic base
- Curved tool rest
- Scroll chuck
- Set of HSS Chisels

Product Brochure For K8123



Specific Features



CH100 Roughing Gouge 19mm (R8135)



CH200 Spindle Gouge 6.35mm (R8137)



CH220 Spindle Gouge 12.7mm (R8139)



CH300 Skew Chisel Standard 12.7mm (R8140)



CH500 Parting and Beading 3.17mm (R8142)



CH700 Domed Scraper Chisel 12.7mm (R8151)



CH702 Domed Scraper Chisel 25.4mm (R8153)



Drive & live Centres (WC037 & WC023)

Product Brochure For K8123



4 Jaw Scroll Chuck (W370)



Adaptor (W366)



Curved Tool Rest (W290B)



Face Plate 200mm (W290C)