

Product Brochure For K8152

## DS-25 Twin Drum Sander - Schools / TAFE

635mm



ORDER CODE:	K8152
NSW DOE Item No.:	~
QLD DOE Item No.:	~
MODEL:	Schools / TAFE DS-25
Disc Diameter (mm):	~
Variable Table Feed Speed (m/min):	0.9 - 6
Sanding Drum Speed (rpm):	1600
Belt Size (mm):	2750 x 100
Drum Diameter (mm):	127
Max Sanding Width (mm):	635
Max Sanding Thickness (mm):	127
Min Sanding Thickness (mm):	6
Dust Collector Ports (No. x mm):	2 x Ø100
Feed Motor Power (hp):	1/8
Motor Power (kW / hp):	2 / 3
Voltage / Amperage (V / amp):	240 / 15
Nett Weight:	225



### Features

- Quality Taiwanese manufacture
- 635mm (25") sanding width capacity
- Twin, dynamically balanced 127mm drums ensure smooth sanding (1 coarse & 1 fine)
- High quality conveyor belt, easy to track for smooth feeding
- Variable speed conveyor drive giving 1.1 m/min to 5.7 m/min
- Sanding workpiece thickness, 6 - 127mm
- 2.2kW / 3hp Induction 240V motor
- Twin Ø100mm (4") dust ports for efficient dust extraction

### Safety Features

- Belt cover with integrated tool-locking mechanism
- DOL starter switch with overload protection and raised red stop
- Keyed isolation switch - PWD approved
- Test and tag certificate on 240V lead

### Includes

- Two abrasive belts (80 grit and 120 grit)

Product Brochure For K8152

**Specific Features**



Conveyor Feed Motor



Twin Drum Sanding System



Variable Table Feed Speed



Control Box Updated Lock Switch



Thickness Height Gauge

**Recommended Accessories**

A94408  
Twin Drum Sander - Belt

A94412  
Twin Drum Sander - Belt

G183  
Abrasive Belt & Discs  
Cleaning Stick

W394  
Dust Collector



Product Brochure For K8152

**W329**  
 Dust Collector



**W344**  
 Wood Dust Accessory Kit



**W334**  
 Dust Hose Reducer



**W333**  
 Dust Hose Reducer



**W335**  
 Blast Gate



**W336**  
 Dust Hose Elbow - 90 Degree



**W337**  
 Dust Hose Y Adaptor



**W338**  
 Dust Hose Universal Dust Hood



**W339**  
 Dust Hose Floor Sweeper Attachment



**W340**  
 Dust Hose Clamp

