Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8230

Metal Band Saw - BS-8DS, 240V

Built to School Specifications
NSW DOE Item 19



Please Call

ORDER CODE:	K8230
NSW DOE Item No.:	19
QLD DOE Item No.:	~
MODEL:	School / TAFE BS-8DS
Operation Type:	Swivel Head
Throat Capacity (mm / inch):	~
Height Capacity (mm):	~
Round Capacity 90º (mm):	205
Round Capacity 45º (mm):	143
Square Capacity 90º (mm):	205
Square Capacity 45º (mm):	115
Rectangle Capacity 90º (mm):	215 x 205
Rectangle Capacity 45º (mm):	143 x 115
Table Size (mm):	~
Blade Speed (m/min):	24-41-61-82
Blade Size (mm):	2360 x 19 x 0.8
Welder Capacity (mm):	~
Motor Power (kW / hp):	1.1 / 1.5
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	190

HAFCO METALMASTER

1 YEAR WARRANTY

10A PLUG 240V

Description

The BS-8DS dual swivel head metal cutting band saw offers great value for money. The major points of this machine are the swivel head, four-blade speeds, adjustable feed rate, and built-in coolant system.
This is an excellent machine choice for maintenance shops, medium steel fabricators, and engineering workshops.

Features

- 205mm round, 215mm x 200mm (W x H) rectangular capacity at 90 degrees
- 143mm round, 143mm x 115mm (W x H) rectangular capacity at 45 degrees
- ±45º swivel head for easy angle cutting without moving material
- Adjustable hydraulic feed cutting rate for multiple applications
- Built-in coolant system with flow control valve for maximum cutting efficiency
- Blade roller guides provides accurate cutting
- 4-speed pulley drive system enabling 24-41-61-82mpm cutting speeds
- Adjustable length stop for repetition cutting
- Wire wheel brush to clean swarf from blade
- Heavy-duty 750W/240V fully enclosed fan-cooled motor

Safety Features

- Magnetic NVR on/off switch
- Tamper proof micro-switch fitted to blade guard cover, enhancing safety during blade changes
- Limit switch stops machine when cut is complete
- Keyed isolation switch - PWD approved
- Test and tag certificate on 240V lead

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8230

Specific Features



Head Fully Raised



Blade Guide



Coolant to Blade


Quick Action Vice Handle Lever


Hydraulic Ram Down Feed Control


Swivel Head


Coolant System



Switch


Blade Tension Control



Band Dynamometric Tension Indicator

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Recommended Accessories

B210
Metal Band Saw Blade - 6TPI Carbon, Blade - 2362 x 19 x 0.80mm



B212
Metal Band Saw Blade - 8TPI Carbon, Blade - 2362 x 19 x 0.80mm



B214
Metal Band Saw Blade - 10TPI Carbon, Blade - 2362 x 19 x 0.80mm



B216
Metal Band Saw Blade - 14TPI Carbon, Blade - 2362 x 19 x 0.80mm



B400
Metal Band Saw Blade - 4-6TPI Bi-Metal, Blade - 2362 x 19 x 0.80mm



B404
Metal Band Saw Blade - 6-10TPI Bi-Metal, Blade - 2362 x 19 x 0.80mm



B408
Metal Band Saw Blade - 10-14TPI Bi-Metal, Blade - 2362 x 19 x 0.80mm



S090A
Soluble Metal Cutting Fluid - 1 Litre



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8230

S090

Soluble Metal Cutting Fluid - 5 Litre



S091

Soluble Metal Cutting Fluid - 20 Litre

