Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8235

EB-260V - Swivel Head Metal Cutting Band Saw - Schools / TAFE

225 x 180mm (W x H) Rectangle Capacity Electronic Variable Blade Speed 20-90mpm



Please Call

ORDER CODE:	K8235
NSW DOE Item No.:	~
QLD DOE Item No.:	~
MODEL:	School / TAFE EB-260V
Operation Type:	Swivel Head
Throat Capacity (mm / inch):	~
Height Capacity (mm):	~
Round Capacity 90º (mm):	225
Round Capacity 45º (mm):	150
Square Capacity 90º (mm):	180
Square Capacity 45º (mm):	140
Rectangle Capacity 90º (mm):	225 x 180
Rectangle Capacity 45º (mm):	140 x 140
Table Size (mm):	~
Blade Speed (m/min):	Variable 20-90
Blade Size (mm):	2480 x 27 x 0.9
Welder Capacity (mm):	~
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	200

Description

Manufactured in Taiwan

Features

- 225 x 180mm rectangular capacity
- Electronic variable blade speed, 240V motor
- Larger cutting capacity than conventional cold saws
- Heavy-duty gear drive system
- Quick-action lock/release vice
- Swivel head mitre cut to 60º right
- Quick action lock/release lever for swivel head
- Coolant system for cutting efficiency and blade life
- User friendly blade tension system
- Control panel mounted for easy access
- Adjustable length stop for repetition cutting
- Ball bearing blade guides ensures minimal blade clearance wear & increases blade life due to less friction
- Blade cleaning brush incorporated into blade guide system
- Adjustable hydraulic cylinder for auto feed
- Vibration free, low noise operation ensures clean & high precision cuts
- Machine stand with integrated cooling fitted as standard

Safety Features

- Magnetic NVR on/off switch
- Emergency stop switch
- Tamper proof micro-switch fitted to blade guard cover, enhancing safety during blade changes
- Keyed isolation switch - PWD approved
- Test and tag certificate on 240V lead

Includes

- Bi-metal blade - 2480 x 27 x 0.9mm

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8235


Specific Features



Front View


Swivel Head at 60 Degrees


Swivel Head Full View


Ball Bearing Blade Guides


Ball Bearing Blade Guides with Cleaning Brush


Blade Cleaning Brush



Feed Control Valve


Micro Cut Out Switch



Control Panel



Variable Speed Motor and Gearbox



Lockable Power Switch


Blade Tension Device


Material Length Stop


Vice


Swivel Head Degree Scale


Head Lock

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8235


Seivel Head Stop


Material Support


Safety Blade Guard Micro Switch


Coolant Pump

Recommended Accessories

B478

Metal Band Saw Blade - 4-6TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



B479

Metal Band Saw Blade - 6-10TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



B480

Metal Band Saw Blade - 10-14TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



S090A

Soluble Metal Cutting Fluid - 1 Litre



S090

Soluble Metal Cutting Fluid - 5 Litre



S091

Soluble Metal Cutting Fluid - 20 Litre

