Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8272

Metal Cold Saw Includes Stand - CS-315C, 240V

Built to School Specifications
NSW DOE Item 37A



Please Call

ORDER CODE:	K8272
NSW DOE Item No.:	37A
QLD DOE Item No.:	~
MODEL:	Schools / TAFE & CS-315C
Blade Size (Diameter x Bore) (mm):	315 x 32
Round Capacity 90º / 45º (mm):	100 / 90
Square Capacity 90º / 45º (mm):	82 / 75
Rectangle Capacity 90º / 45º (mm):	110 x 70 / 85 x 70
Table Working Height (with Stand) (mm):	980
Blade Speeds (RPM):	44
Motor Power (kW / hp):	1.5 / 2
Voltage (V / amp):	240
Nett Weight (kg):	175

Features

- Quality Taiwanese manufacture
- Rugged cast iron construction offers years of accurate cutting
- Lock at any angle between -45° or +45° mitre in both directions via locking lever
- Degree markings engraved onto swivelling base for quick and accurate mitre cutting
- Dual material clamp system providing burr free cuts on both pieces of material
- Quick action vice clamp lever designed to increase production
- Single blade speed 44rpm
- Built in blade coolant pump system with flow control valve
- Oil sight glass located on right side of the gearbox so operator can maintain correct lubrication levels according to specifications provided
- Spring assisted head return provides a even balance during cutting operation and reduces operator fatigue
- HSS cutting blade is included for general types of material and thickness

Safety Features

- Automatic retract safety blade guard covers blade when returned to home position
- Dead man trigger switch located on cutting handle provides operator safety on/off power control
- Magnetic NVR on/off switch
- Emergency stop switch
- Keyed isolation switch - PWD approved
- Test and tag certificate on 240V lead

Includes

- Ø315mm HSS Blade - 180T
- Stand
- Coolant system
- Material length stop

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au


Product Brochure For K8272


Specific Features



Control Panel


Adjustable Cut Length Stop


Swivel Head Degree Scale NEW


Swivel Head Lock Lever


Heavy Duty head Pivot Hinge


Adjustable Vice Jaws


Deadman Trigger Switch


Coolant Pump and Tank


Collant Flow Control Valve

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Recommended Accessories

S090A
Soluble Metal Cutting Fluid - 1 Litre



S090
Soluble Metal Cutting Fluid - 5 Litre



S158
HSS Cold Saw Blade



S158A
HSS Cold Saw Blade



S158B
HSS Cold Saw Blade



S158C
HSS Cold Saw Blade



S158D
HSS Cold Saw Blade



S158E
HSS Cold Saw Blade



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8272

S158J
HSS Cold Saw Blade



S158K
HSS Cold Saw Blade



S158M
HSS + COBALT Cold Saw Blade



S158P
HSS + COBALT Cold Saw Blade



S158S
HSS + COBALT Cold Saw Blade



S158X
HSS + COBALT Cold Saw Blade



L812
Roller Conveyor



L814
Roller Conveyor Stand



L802
3m Length Stop System



W3434
Roller Stand



M800
Rubber Mat - Anti-Fatigue

