Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8311

1300 x 1.6mm Manual Treadle Guillotine Includes Rear Guarding - SG-416S

Built to School Specifications
NSW DOE Item 26



Please Call

ORDER CODE:	K8311
NSW DOE Item No.:	26
QLD DOE Item No.:	~
MODEL:	School / TAFE SG-416S
Shearing Thickness (mm):	1.6
Shearing Length (mm):	1300
Nett Weight (kg):	480

Features


- 1300 x 1.6mm capacity
- Quality steel-fabrication construction
- Blades made from 9CrSi material suitable for stainless steel
- Spring loaded material clamp beam
- Greasing & oiling points on bearing surfaces
- Adjustable blade gap clearance for thin material
- Two front sheet supports
- Manual backgauge
- Mild steel capacity is rated on hot rolled material with 250MPA

Safety Features

- Fitted with rear safety guarding with screw locked access door
- Tabs fitted to isolate machine with padlock (Please note padlock not included)

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8311



Specific Features


Front View


Left View


Top View


Low View


Rear View


Rear Guard Pivots to Open


Rear Backguage


Backgauage Close Up

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For K8311


Foot Pedal Lever


Foot Pedal Lever Shown Locked with Optional Padlock


Isolation Tabs Shown Locked with Optional Padlock



Spring Return


Sheet Support


Material Clamp and Squaring Edge



Oil Refil Points


Lifting Lugs