

Product Brochure For K8311

## 1300 x 1.6mm Manual Treadle Guillotine Includes Rear Guarding - SG-416S

Built to School Specifications  
 NSW DOE Item 26

### Please Call



ORDER CODE:	K8311
NSW DOE Item No.:	26
QLD DOE Item No.:	~
MODEL:	School / TAFE SG-416S
Shearing Thickness (mm):	1.6
Shearing Length (mm):	1300
Nett Weight (kg):	480




### Features

- 1300 x 1.6mm capacity
- Quality steel-fabrication construction
- Blades made from 9CrSi material suitable for stainless steel
- Spring loaded material clamp beam
- Greasing & oiling points on bearing surfaces
- Adjustable blade gap clearance for thin material
- Two front sheet supports
- Manual backgauge
- Mild steel capacity is rated on hot rolled material with 250MPA

### Safety Features

- Fitted with rear safety guarding with screw locked access door
- Tabs fitted to isolate machine with padlock (Please note padlock not included)

Product Brochure For K8311



**SAFE WORKING AREA**

**Specific Features**



Front View



Left View



Top View



Low View



Rear View



Rear Guard Pivots to Open



Rear Backgauge



Backgauge Close Up

Product Brochure For K8311



Foot Pedal Lever



Foot Pedal Lever Shown Locked with Optional Padlock




Isolation Tabs Shown Locked with Optional Padlock



Spring Return



Sheet Support



Material Clamp and Squaring Edge



Oil Refil Points



Lifting Lugs