

Product Brochure For K8444

Plasma Cutter - VIPER CUT 30 MKII

Supplied to School Specifications
 NSW DOE Item 45



Please Call

ORDER CODE:	K8444
NSW DOE Item No.:	45
QLD DOE Item No.:	-
MODEL:	VIPER™ CUT 30 MKII
Primary Input Voltage (V / amp):	240 / 10
Duty Cycle @ 40°C (amp):	15% @ 30A & 60% @ 23A & 100% @ 20A
Current Range (amp):	20-30
Cutting Capacity - Mild Steel (mm):	12mm clean-cut & 24mm severance
Cutting Capacity - Aluminium (mm):	6mm clean-cut & 8mm severance
Cutting Capacity - Stainless Steel (mm):	6mm clean-cut & 8mm severance
Dimensions (mm):	543 x 166 x 343
Nett Weight (kg):	8.5



Description

Cut anything, anywhere. Whether it's solid or perforated metal, you'll get a clean cut up to 12mm thick. Now with the addition of a CNC connection, the VIPER CUT 30 Mk II can handle anything you throw at it.

CNC Compatible

The VIPER CUT 30 Mk II comes with a CNC connection, so you can plug in a CNC torch and use it with a CNC table.

MAXIMUM POWER

The VIPER CUT 30 Mk II is one of the most powerful cutters for its size. Running at just 30A, this machine still has the capability to produce a 12mm clean cut and a 14mm severance.

CUT ANYTHING

Get unrivalled performance across every kind of metal. Whether you're working on solid mild steel or trying out the new perforated cutting mode on materials like mesh and grating, the VIPER CUT 30 Mk II can do it all.

10 AMP PLUG

Take this machine with you wherever you go. With a 10AMP power plug, you can plug and go with any domestic outlet. Its versatility makes it perfect for at-home use and on job sites.

Generator Compatible

Going off the grid? The VIPER CUT 30 Mk II can be connected to a generator, we recommend one with an 8kVA rating.

Lightweight & Portable

Weighing just 8.5kg, the VIPER CUT 30 Mk II is ready to go anywhere you need it.

Features

- Thermal overload protection
- Complies to AS/NZS 60974.1 standards
- UNIMIG is pleased to offer a 2-year warranty on the VIPER™ CUT 30 Mk II Plasma Cutter

Includes

- VIPER CUT 30 Mk II Plasma Cutter
- 4m SC30 Plasma Torch
- 3m 300A Earth Clamp

Product Brochure For K8444

- Air Regulator
- Operating Manual
- Earth Lug (For Earth Continuity System)
- Professional Leather Welding Gloves
- SC30 Plasma Torch Consumable Starter Kit

Specific Features



Front View



Left View



Power Unit



SC30 Plasma Torch Consumable Kit



Professional Leather Welding Gloves

Recommended Accessories

C559

SC80 Plasma Torch
Consumable Pack

C620

Electrodes

C624

0.9mm Cutting Tips

C625

1.0mm Cutting Tips



Product Brochure For K8444


C6251
1.3mm Cutting Tips



C622
Swirl Ring



C626
Retaining Cup



C660
Plasma Circle Cutting Kit



W1000A
Promax HV5 Welding Jacket



W1001A
Promax Blue FR Welding Jacket




W1002A
Professional Promax BL7
Welding Jacket



W100
ROGUE™ Heavy Duty Welding
Gloves - 400mm



L3456
How to Weld Book



W225
Welding Curtain

