

Product Brochure For K8515

CNC Lathe - Includes Tooling Package - L33HS OPTi-Turn

Built to School Specifications

NSW DOE Item 29B

Please Call



ORDER CODE:	K8515
NSW DOE Item No.:	29B
QLD DOE Item No.:	-
MODEL:	Schools/TAFE Opti-turn & L33HS OPTi-Turn
Digital Readout:	Siemens 808D CNC Control
Tool To Suit (mm):	16
Distance Between Centres (mm):	630
Swing Over Bed (mm):	330
Swing Over Gap (mm):	-
Swing Over Cross-slide (mm):	-
Centre Height (mm):	150
Spindle Bore (mm):	Ø38
Camlock Spindle Size:	A2-4
Bed Width (mm):	206
Head Stock Spindle Taper (MT):	-
Tail Stock Taper (MT):	3
Cross Slide Travel (mm):	-
Compound Slide Travel (mm):	-
Lead Screw:	Metric
Cross Feed (mm/rev):	CNC Controlled
Longitudinal Feed (mm/rev):	CNC Controlled
Metric Thread Range (No. / mm):	CNC Controlled
Imperial Thread Range (No. / TPI):	CNC Controlled
3 Jaw Chuck Diameter (mm):	Ø150
4 Jaw Chuck Diameter (mm):	-
Spindle Steps/speeds (No. / RPM):	40 - 4000
Motor Power (kW / hp):	3.7 / 5
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	1250

Description

Designed and Engineered in Germany the OPTIMUM CNC range is a market leader in Europe and is now available in Australia through Hare and Forbes Machinery House. Offering exceptional value for money the OPTIMUM range can have you set up for in house CNC machining at a fraction of the financial outlay previously required.

Features

- Siemens 808D CNC control
- 6 station auto turret with 16mm Tooling
- 4000rpm main spindle speed
- 42mm spindle bore
- 330mm swing over bed
- Tailstock with MT3
- 2-Axis servo motor control
- Constant surface speed control
- Flood coolant system
- Central lubrication unit

Safety Features

- Full CE Safety enclosure with Safety PLC

Includes

- Ø150mm 3-Jaw chuck with A2 mount
- 1 x (AO1003) 16mm OD x 8mm ID Boring bar sleeve
- 1 x (AO1004) 16mm OD x 10mm ID Boring bar sleeve
- 1 x (AO1005) 16mm OD x 12mm ID Boring bar sleeve
- 1 x (C057) 3MT Live centre - extended point

Product Brochure For K8515

- 1 x (C822) ER16 2 - 1mm Collet
- 1 x (C823) ER16 3 - 2mm Collet
- 1 x (C824) ER16 4 - 3mm Collet
- 1 x (C825) ER16 5 - 4mm Collet
- 1 x (C826) ER16 6 - 5mm Collet
- 1 x (C827) ER16 7 - 6mm Collet
- 1 x (C828) ER16 8 - 7mm Collet
- 1 x (C829) ER16 9 - 8mm Collet
- 1 x (C830) ER16 10 - 9mm Collet
- 2 x (C835) ER16 x 16 x 100 Collet chuck - Straight shank
- 1 x (C840) ER16 Collet chuck wrench
- 1 x (L044) R/H 16mm Turning Toolholder
- 1 x (L0512) Parting inserts 2.2mm KC5025 - Pack of 10
- 1 x (L064) Turning inserts TNMG 160408-PS - Pack of 10
- 1 x (L430) 4pce Boring bar set
- 1 x (L465) 16mm Parting kit

Optional Accessories

- Delivery & Installation
- Training packages in Hare & Forbes Tech Centre
- 4-Jaw chucks & other tooling

Specific Features




Right View With Swivel Controller



Left View




Control Panel



6 Station Tool Changer



Siemens Control



3 Jaw Chuck



Sliding Front Door



Safety Interlock For Front Sliding Door

Product Brochure For K8515



Machine Status Light



Front View of Chuck and Tool Changer



LED Light



Tailstock



Side Access Door



Side View Inside



Spindle Drive System



Pull Out Swarf Drawer



Pull Out Coolant Drawer



CNC Lathe Tooling Pack

Product Brochure For K8515

Recommended Accessories

A358

Sky Hook Lifting Device

A358A

Chuck Hook

