

Product Brochure For K8700

GHD-22 Geared Head Drill - QLD Schools / TAFE

31.5mm

QLD Contract Item No. 2.2

Please Call



ORDER CODE:	K8700
NSW DOE Item No.:	~
QLD DOE Item No.:	2.2
MODEL:	Schools / TAFE GHD-22
Bench / Pedestal Type:	Pedestal
Duty Type:	Industrial-Duty
Drill Capacity (mm):	31.5
Spindle Taper (MT):	3
Threading Capacity:	~
Auto Feed (Yes / No):	No
Spindle Travel (mm):	120
Throat Depth (mm):	255
Quill Diameter (mm):	55
Collar Diameter (mm):	~
Column Diameter (mm):	100
Spindle To Table (mm):	830
Spindle To Base (mm):	1240
Table Shape:	Rectangle
Micro Switch On Pulley Guard (Yes / No):	No
Table Size:	350 x 500
Spindle Drive Type:	Geared Head
Spindle Steps (No.):	8
Spindle Speeds (RPM):	105 - 2900
Motor Power (kW / hp):	0.75 / 1
Voltage / Amperage (V / amp):	415
Overall Height (mm):	1800
Nett Weight (kg):	180



Description

We for many years have been working in close consultation with the education departments to ensure the most suitable equipment is provided to our schools and TAFE, not only does it comply with the departments stringent safety requirements but is built to last the distance. That's why we consider our company to be a specialist when it comes to supplying quality Wood Work and Metal Working Machinery for Public or Private Schools, TAFE Colleges and Trade Training Centres in all states of Australia.

Features

- Ideal for industrial or workshop use
- Geared head drilling machine with 3 morse taper spindle
- 8 drilling speeds from 105 - 2900 rpm
- High/low with forward & reverse switch
- Helical cut gears for quiet & smooth operation
- Interlocked spindle safety guard
- Rack and pinion wind-up drill head
- Rack & pinion table height adjustment with locking lever
- Thick walled column ensuring greater rigidity
- Drill ejector lever
- Safety emergency stop/reset switch
- Table rotates 360°
- Drilling depth stop setting with scale
- T slotted work table

Includes

- 16mm Keyless Drill Chuck (C294)
- 3MT x JT3 Drill Chuck Arbor (D443A)
- 127mm Delux Drill Vice (V145)
- Tee Nuts M12-14mm Table Slot (C086)
- 2MT - 1MT Drill Sleeve (D420)
- 3MT - 2MT Drill Sleeve (D422)

Product Brochure For K8700

- Drill drift tool to remove drill chuck or taper shank drills
- Interlocked spindle safety guard

Specific Features



DoE QLD Preferred Supplier



High Low with Forward and Reverse Switch



Speed Selection



Interlocked Spindle Safety Guard



Drilling depth stop setting with scale



T Slotted Work Table Rotates 360 Degrees



Rack and pinion wind up drill head



Head Right View



Head Controls

Product Brochure For K8700

Recommended Accessories

D322

3MT Morse Taper Shank Drill Bit



D1171

Metric Industrial HSS Reduced Shank Drill Set



D1181

Imperial Industrial HSS Reduced Shank Drill Set



D117

Metric HSS Reduced Shank Drill Set



D443

3MT x JT6 Drill Chuck Arbor



C289

Heavy Duty Drill Chuck - Keyed Type



C292

Industrial Drill Chuck - Keyless Type



D443A

3MT x JT3 Drill Chuck Arbor



Product Brochure For K8700

C290

Heavy Duty Drill Chuck - Keyed Type




C294

Industrial Drill Chuck - Keyless Type



C0965

Clamp Kit 58 piece - Workshop Series



V141

Safeway Precision Drill Press Vice



V142

Safeway Precision Drill Press Vice



V143

Safeway Precision Drill Press Vice



V138

Drill Press Vice



V139

Drill Press Vice



D424

Drill Sleeve - Morse Taper



T004B

Tapping Chuck - Fixed




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



Product Brochure For K8700

S090A
 Soluble Metal Cutting Fluid - 1 Litre



S090
 Soluble Metal Cutting Fluid - 5 Litre



S076
 Cutting Tool Lubricant Fluid - 500ml



S077
 Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075
 Cutting Tool Lubricant Paste - 200g



S074
 Cutting Tool Lubricant Paste - 500g



O000
 SpillFix Universal Organic Absorbent



O043
 Rust & Corrosion Preventive



O042
 General Purpose Lubricant & Corrosion Inhibitor



O040
 Rust & Corrosion Preventive



O044
 Rust & Corrosion Preventive

