

Product Brochure For K8702

GHD-38B Geared Head Drill - QLD Schools / TAFE

40mm

QLD Contract Item No. 2.4



Please Call

ORDER CODE:	K8702
NSW DOE Item No.:	~
QLD DOE Item No.:	2.4
MODEL:	Schools / TAFE GHD-38B
Bench / Pedestal Type:	Pedestal
Duty Type:	Industrial-Duty
Drill Capacity (mm):	Ø40
Spindle Taper (MT):	4
Threading Capacity:	M24
Auto Feed (Yes / No):	Yes
Spindle Travel (mm):	180
Throat Depth (mm):	350
Quill Diameter (mm):	75
Collar Diameter (mm):	~
Column Diameter (mm):	150
Spindle To Table (mm):	770
Spindle To Base (mm):	1320
Table Shape:	Square
Micro Switch On Pulley Guard (Yes / No):	No
Table Size:	560 x 560
Spindle Drive Type:	Geared Head
Spindle Steps (No.):	18
Spindle Speeds (RPM):	50 ~ 1450
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	415
Overall Height (mm):	2220
Nett Weight (kg):	615

Features

- Geared head drilling machine with 4MT spindle
- 40mm drill capacity with 180mm of spindle travel
- 18 drilling speeds from 50-1450rpm
- Automatic feed range (0.1, 0.2mm/rev)
- Adjustable accurate depth setting with auto feed cut out
- Drill ejector incorporated in machine
- Automatic thread tapping with auto reversal of direction upon reaching the preset depth

Safety Features

- Emergency stop switch
- Interlocked spindle safety guard
- OPTIONAL SAFETY ELECTRICS
- (D201) - Knee operation emergency stop

Includes


- Coolant system
- Keyless drill chuck
- Arbor & work light
- (V143) 160mm Precision drill vice
- (C294) 16mm keyless drill chuck
- (D454A) 4MT x JT3 Drill chuck arbor
- (D420) 2-1MT sleeve
- (D422) 3-2MT sleeve
- (D424) 4-3MT sleeve
- (C087) Tee nuts 16mm table slot
- (N086) M12 Flanged Nuts
- (N0893) M12 x 75mm Long Double End Threaded Clamp Stud

Product Brochure For K8702

Specific Features



High Low with Forward and Reverse Switch



18 Drilling Speeds from 50 1450rpm



Gear Selection Levers



Adjustable accurate depth setting with auto feed cut out for increased productivity



Head Controls



Automatic Feed Range and Auto Drift Drill Ejector




Emergency Stop Switch and Overload Protection



Work Light



Chuck Guard with Micro Switch




T Slotted Work Table



T Slotted Base



Rack and pinion wind up Table



Coolant Pump System



C087 Tee Nuts 16mm Table Slot



C294 16mm Keyless Drill Chuck



D420 2 1MT Sleeve

Product Brochure For K8702



D422 3 2MT Sleeve



D424 4 3MT Sleeve



D454A 4MT x JT3 Drill Chuck Arbor



V143 160mm Precision Drill Vice



N086 M 12 Flanged Nuts



N0893 Double End Threaded Clamp Stud

Recommended Accessories

D201

Knee Stop Switch with Bracket
& 3M Lead



D339

4MT Morse Taper Shank Drill Bit



D454

4MT x JT6 Drill Chuck Arbor



D425

Drill Sleeve - Morse Taper



Product Brochure For K8702

T005B

Tapping Chuck - Fixed



C289

Heavy Duty Drill Chuck - Keyed Type



C292

Industrial Drill Chuck - Keyless Type



C290

Heavy Duty Drill Chuck - Keyed Type



C294

Industrial Drill Chuck - Keyless Type



C096A

Clamp Kit 58 piece - Industrial Series



V141

Safeway Precision Drill Press Vice



V142

Safeway Precision Drill Press Vice



V143

Safeway Precision Drill Press Vice



V138

Drill Press Vice



V139

Drill Press Vice



M800


Rubber Mat - Anti-Fatigue



Product Brochure For K8702

M805

Rubber Mat - Anti-Fatigue



S090A

Soluble Metal Cutting Fluid - 1 Litre



S090

Soluble Metal Cutting Fluid - 5 Litre



S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075

Cutting Tool Lubricant Paste - 200g



S074

Cutting Tool Lubricant Paste - 500g



O000

SpillFix Universal Organic Absorbent



O043

Rust & Corrosion Preventive



O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive

