

Product Brochure For K8719

EB-285DSV Swivel Head-Dual Mitre Metal Cutting Band Saw - QLD Schools / TAFE

265 x 200mm (W x H) Rectangle Capacity
 QLD Contract Item 8



Please Call

ORDER CODE:	K8719
NSW DOE Item No.:	~
QLD DOE Item No.:	8
MODEL:	School / TAFE EB-285DSV
Operation Type:	Swivel Head - Dual Mitre
Throat Capacity (mm / inch):	~
Height Capacity (mm):	~
Round Capacity 90° (mm):	235
Round Capacity 45° (mm):	190
Square Capacity 90° (mm):	225
Square Capacity 45° (mm):	185
Rectangle Capacity 90° (mm):	265 x 200
Rectangle Capacity 45° (mm):	180 x 200
Table Size (mm):	~
Blade Speed (m/min):	Variable 20-90
Blade Size (mm):	2645 x 27 x 0.9
Welder Capacity (mm):	~
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	260



Description

Manufactured in Taiwan

Features

- 265 x 200mm rectangular capacity
- Electronic variable blade speed, 240V motor
- Larger cutting capacity than conventional cold saws
- Swivel head double mitre cut to 45° right & left, 60° right
- Quick action lock/release lever for swivel head
- Heavy-duty gear drive system
- Control panel mounted on stand for easy access
- Heavy duty hydraulic down feed cylinder
- Ball bearing blade guides ensures minimal blade clearance wear and increases blade life due to less friction
- Blade cleaning brush incorporated into blade guide system
- Quick-action lock/release vice
- Adjustable length stop for repetition cutting
- Unique sliding vice design for dual mitre operation
- Coolant system for cutting efficiency and blade life
- Material support roller for long stock
- User friendly blade tension system with gauge
- Vibration free, low noise operation ensures clean & high precision cuts
- Machine stand with integrated coolant tank as standard

Product Brochure For K8719

Specific Features



Front View



Swivel Head at 60 Degrees




Swivel Head at 45 Degrees




Control Panel With Adjustable Hydraulic Down Feed Control



Heavy Duty Hydraulic Down Feed Cylinder Variable Speed Motor Gearbox



Blade Tension Gauge



Ball Bearing Blade Guides



Blade Cleaning Brush



Sliding Vice For Dual Mitre




Dual Mitre Slots




Degree Scale



Material Support With Roller



Material Length Stop



Safety Blade Guard Micro Switch



Coolant System



Sliding Vice Lock

Product Brochure For K8719

Recommended Accessories

B210

Metal Band Saw Blade - 6TPI
 Carbon, Blade - 2362 x 19 x
 0.80mm



B212

Metal Band Saw Blade - 8TPI
 Carbon, Blade - 2362 x 19 x
 0.80mm



B214

Metal Band Saw Blade - 10TPI
 Carbon, Blade - 2362 x 19 x
 0.80mm



B216

Metal Band Saw Blade - 14TPI
 Carbon, Blade - 2362 x 19 x
 0.80mm



B400

Metal Band Saw Blade - 4-6TPI
 Bi-Metal, Blade - 2362 x 19 x
 0.80mm



B404

Metal Band Saw Blade -
 6-10TPI Bi-Metal, Blade - 2362 x
 19 x 0.80mm



B408

Metal Band Saw Blade -
 10-14TPI Bi-Metal, Blade - 2362
 x 19 x 0.80mm



W343A

Roller Stand



Product Brochure For K8719

W343
Roller Stand



W3434
Roller Stand




W3436
Roller Stand - V-Type



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



S090A
Soluble Metal Cutting Fluid - 1
Litre



S090
Soluble Metal Cutting Fluid - 5
Litre



S076
Cutting Tool Lubricant Fluid -
500ml



S077
Drilling, Tapping & Cutting Tool
Lubricant Spray - 400g



S075
Cutting Tool Lubricant Paste -
200g



S074
Cutting Tool Lubricant Paste -
500g



O000
SpillFix Universal Organic
Absorbent



Product Brochure For K8719

O043

Rust & Corrosion Preventive



O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive



L812

Roller Conveyor



L816

Roller Conveyor Stand

