

Product Brochure For K8737

MG-440 Mechanical Guillotine - QLD Schools / TAFE

QLD Contract

1300 x 4mm Mild Steel Shearing Capacity

Please Call



ORDER CODE:	K8737
NSW DOE Item No.:	~
QLD DOE Item No.:	~
MODEL:	School / TAFE MG-440
Shearing Thickness (mm):	4
Shearing Length (mm):	1300
Nett Weight (kg):	1450

METALMASTER



Features

- 1300mm x 4mm cutting capacity
- 4kW / 5.3hp 415V brake motor
- Quick action blade clearance adjustment for shearing material 1 - 4mm
- Full length material clamp bar load spring assisted
- One shot lubrication pump & reservoir for slideway protection
- Manual backgauge with digital scale display unit
- Equipped with shadow line lighting-alignment device
- Roving foot pedal control
- Clamp beam design allows clear view to shadow line on material
- Blades made from 9CrSi material suitable for cutting stainless steel
- Plate support tables with transfer balls for quick & easy material alignment and manoeuvrability
- Front sheet supports with ball bearing guides preventing material damage when setting up
- Three safety photo electric light beams on rear guarding
- Safety reset rear guarding button mounted to back of electrical box
- Mild steel capacity is rated on hot rolled material with 250MPA
- Pre-Commissioning:
- 1. Guillotine is run & tested prior delivery

Safety Features

- Roving Foot Pedal
- Rear light curtain
- Emergency stop switch

Product Brochure For K8737

Specific Features



Right View



Rear View



Control Panel



Quick Action Blade Clearance Adjustment



Squaring Arm



Squaring Arm with Measuring Scale



Front Sheet Supports




Front Sheet Supports with Roller Bearings



Material Transfer Balls on Table



Manual Backgauge with Digital Readout



Backgauge Scale Digital Readout



Backgauge Digital Readout



3 Safety Electro Photo Sensors



Safety Omron E32S Rear Light Sensor Guarding



One Shot Lubrication



Mobile Foot Control

Product Brochure For K8737



Rear Guard Reset Button



Emergency Stop Switch




Shown with Optional Ball Transfer Tables - Order Code (L840)

Recommended Accessories

S9982

2540mm Sheet Metal Guillotine
Blade Set - 9CrSi




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



O000

SpillFix Universal Organic Absorbent



O043

Rust & Corrosion Preventive



O042

General Purpose Lubricant &
Corrosion Inhibitor



O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive



Product Brochure For K8737

O004

Superdraulic ISO 46 Hi Temp
Hydraulic Oil

