

Product Brochure For K8769

ENVY CUT 45 AIR Plasma Cutter - QLD Schools / TAFE

45 Amps - 20mm Steel Capacity

6 Metre SC80 Plasma Torch

Please Call



ORDER CODE:	K8769
NSW DOE Item No.:	~
QLD DOE Item No.:	~
MODEL:	ENVY CUT 45
Primary Input Voltage (V / amp):	240 / 15
Duty Cycle @ 40°C (amp):	30% @ 45A, & 60% @ 32A, 100% @ 25A
Current Range (amp):	~
Cutting Capacity - Mild Steel (mm):	~
Cutting Capacity - Aluminium (mm):	14
Cutting Capacity - Stainless Steel (mm):	~
Dimensions (mm):	665 x 220 x 425
Nett Weight (kg):	23.1



Description

A professional-grade plasma cutter that gives you the ultimate flexibility, perfect for the workshop or a worksite

Smart-Set Programs

The easiest way to set up for a plasma cut, simply select your cutting type, material type and thickness, and you're good to go!

Cutting Capacity

MILD STEEL: Get a 20mm clean cut and a severance cut of 25mm on mild steel.

STAINLESS STEEL: Get up to a 18mm clean cut on stainless steel.

ALUMINIUM: Get up to a 14mm clean cut on aluminium.

Cutting Modes

SOLID: Cut through solid metal plate on any material.

PERFORATED: With the perforated cutting mode, you can cut materials like grating or mesh without interruption.

GOUGING: Switch to gouging consumables to efficiently remove defects, welds, or pre-existing metal from your workpiece.

CNC Connectivity

Switch from handheld to automated cutting whenever you need. The CNC interface lets you connect a CNC torch and run the machine on a cutting table with precise, repeatable control.

Automatic Air Pressure Control

The machine regulates its own air pressure internally, so you do not need to adjust your compressor. The digital regulator delivers highly accurate, consistent airflow for cleaner starts and more reliable cuts.

Pilot Arc Start

Strike the arc without touching the workpiece. Pilot arc start lets you cut through paint, rust or scale with ease and gives you better control on uneven surfaces. Because the tip does not need to drag, your consumables last longer and your starts stay consistent.

Smart Fan Technology

The fan runs only when needed, reducing noise, cutting power use and limiting the dust drawn into the machine. This keeps internal components cleaner and helps extend the overall life of the unit.

Additional Features

Job Memory

The job memory function allows you to enter and store cut parameter settings. Cut parameters can be further adjusted and stored as required.

Product Brochure For K8769

A total of 100 jobs can be memorised and stored for recall.

Generator Compatible

Take it anywhere. Connect the machine to a generator and use it wherever, whenever you need it. We recommend 10kVA for this machine.

Air Test

Check that your plasma cutter is running at peak performance. The air test ensures that your compressor is connected and that the air pressure is dialled in to produce the best cuts.

Features

- The built-in air compressor lets you take this machine anywhere
- 20mm clean cuts and 25mm cutting capacity
- The CNC connection means you can use this machine for every kind of plasma application
- 5" LCD Touchscreen
- Smart-Set Programs
- Built-in Air Compressor
- CNC Connectivity
- Perforated Cut Mode

Includes

- ENVY CUT 45 AIR Plasma Cutter
- (W100) UMWG8 - ROGUE™ Heavy Duty Welding Gloves - 400mm
- (C559) UMSK45 - SC80 Plasma Torch Consumable Pack
- (U21020) Trade Series Welding Helmet – Black
- (Umjrtrolley2) Small Machine Welding Trolley
- 6m SC80 Plasma Torch
- 4m 300A Earth Clamp & Lead
- Operating Manual

Specific Features



Right View



Front View



Left View



U21020 Trade Series Welding Helmet Black



W100 UMWG8 ROGUE Heavy Duty Welding Gloves 400mm



Small Machine Welding Trolley



C559 UMSK45 SC80 Plasma Torch Consumable Pack

Product Brochure For K8769

Recommended Accessories

W241

Universal Welder Trolley



W2415

TRI-CART Multi-Machine
Welding Trolley



C559

SC80 Plasma Torch
Consumable Pack



C627

Plasma Hand Torch



C620

Electrodes



C624

0.9mm Cutting Tips



C625

1.0mm Cutting Tips



C622

Swirl Ring



Product Brochure For K8769

C626

Retaining Cup

W107

Safety Specs - Shade 5

