

Product Brochure For K8776

CS-315D Cold Saw, Includes Stand - QLD Schools / TAFE

QLD Contract

110 x 70mm Rectangle Capacity

Please Call



ORDER CODE:	K8776
NSW DOE Item No.:	-
QLD DOE Item No.:	-
MODEL:	Schools / TAFE & CS-315D
Blade Size (Diameter x Bore) (mm):	315 x 32
Round Capacity 90° / 45° (mm):	100 / 90
Square Capacity 90° / 45° (mm):	82 / 75
Rectangle Capacity 90° / 45° (mm):	110 x 70 / 85 x 70
Table Working Height (with Stand) (mm):	980
Blade Speeds (RPM):	22 / 44
Motor Power (kW / hp):	1.5 / 2
Voltage (V / amp):	415
Nett Weight (kg):	175



Features

- Rugged cast iron construction offers years of accurate cutting
- Lock at any angle between -45° or +45° mitre in both directions via locking lever
- Degree markings engraved onto swivelling base for quick and accurate mitre cutting
- Dual material clamp system providing burr free cuts on both pieces of material
- Quick action vice clamp lever designed to increase production
- Built in blade coolant pump system with flow control valve
- Oil sight glass located on right side of the gearbox so operator can maintain correct lubrication levels according to specifications provided
- Dead man trigger switch located on cutting handle provides operator safety on/off power control
- Automatic retract safety blade guard covers blade when returned to home position
- Spring assisted head return provides a even balance during cutting operation and reduces operator fatigue
- HSS cutting blade is included for general types of material and thickness

Safety Features

- Handle mounted "deadman" trigger switch
- CE Approved safety blade guard
- Test and tag certificate on 240V lead
- Padlockable Isolation switch
- Roving Foot Pedal
- Emergency stop switch

- OPTIONAL SAFETY ELECTRICS
- Roving Foot Pedal

Includes

- Stand
- Coolant System
- HSS Blade

Product Brochure For K8776

Specific Features




Control Panel




Head Shown at 45 Degrees



Adjustable Cut Length Stop



Swivel Head Degree Scale NEW



Swivel Head Lock Lever



Heavy Duty head Pivot Hinge



Adjustable Vice Jaws



Deadman Trigger Switch



Coolant Pump and Tank



Collant Flow Control Valve



Side View

Product Brochure For K8776

Recommended Accessories

S092

BROBOLUBE Industrial
Gearbox Oil



S158

HSS Cold Saw Blade



S158A

HSS Cold Saw Blade



S158B

HSS Cold Saw Blade



S158C

HSS Cold Saw Blade



S158D

HSS Cold Saw Blade



S158E

HSS Cold Saw Blade



S158J

HSS Cold Saw Blade



Product Brochure For K8776

S158K

HSS Cold Saw Blade



S158M

HSS + COBALT Cold Saw Blade



S158P

HSS + COBALT Cold Saw Blade



S158S

HSS + COBALT Cold Saw Blade



S158X

HSS + COBALT Cold Saw Blade



S090A

Soluble Metal Cutting Fluid - 1 Litre



S090

Soluble Metal Cutting Fluid - 5 Litre



S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075

Cutting Tool Lubricant Paste - 200g



S074

Cutting Tool Lubricant Paste - 500g



S091

Soluble Metal Cutting Fluid - 20 Litre



Product Brochure For K8776

L300
Magnetic Swarf Remover



M9991
Magnetic Floor Sweeper



L812
Roller Conveyor



L814
Roller Conveyor Stand



W343
Roller Stand



W343A
Roller Stand



W3434
Roller Stand




W3436
Roller Stand - V-Type



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O000
SpillFix Universal Organic Absorbent



O043
Rust & Corrosion Preventive



Product Brochure For K8776

O042

General Purpose Lubricant &
Corrosion Inhibitor



O040

Rust & Corrosion Preventive



O044

Rust & Corrosion Preventive



S812

Coolant Pump

