

## Product Brochure For K8810

### BP-480 CE Wood Working Band Saw - QLD Schools / TAFE

465 x 310mm

QLD Contract Item No. 6.1

#### Please Call



|                               |                       |
|-------------------------------|-----------------------|
| ORDER CODE:                   | K8810                 |
| NSW DOE Item No.:             | ~                     |
| QLD DOE Item No.:             | 6.1                   |
| MODEL:                        | Schools / TAFE BP-480 |
| Throat Capacity (mm):         | 465                   |
| Wheel Diameter (mm):          | 480                   |
| Height Capacity (mm):         | 310                   |
| Table Size (mm):              | 480 x 682             |
| Frame Type:                   | Steel                 |
| Motor Power (kW / hp):        | 1.5 / 2               |
| Voltage / Amperage (V / amp): | 240 / 15              |
| Full Height (mm):             | 1980                  |
| Blade Code:                   | W434A, W434B          |
| Blade Length (mm):            | 3630 x 19 x 0.65      |
| Net Weight (kg):              | 182                   |



#### Features

- Quality Taiwanese manufacture
- Powerful 2hp - 240V braked motor - CE Safety Compliant
- Keyed brake release enhances safety during blade changes
- 465mm throat capacity
- Extra high cutting capacity - 310mm
- Ø480mm heavy duty cast iron wheels
- Two blade speeds 488/1010m/min
- Magnetic NVR on/off switch
- Emergency stop switch
- Micro-switch protection on hinged blade guard doors
- Large cast iron table tilts to -5° to +45°
- High / Low ripping fence - 150mm & 12mm
- Double ball bearing guides with grooved rear thrust bearing for maximum blade support
- Quick-action blade tension
- Rack & pinion adjustment on top blade guide
- Two viewing windows make blade tracking and tensioning possible while the machine is running
- Twin Ø100mm (4") dust ports for efficient dust extraction


#### Safety Features

- Micro-switch protection on hinged blade guard doors
- Emergency stop switch
- Test and tag certificate on 240V lead

#### Includes

- Mitre guide
- Aluminium rip fence

Product Brochure For K8810



**Specific Features**



DoE QLD Preferred Supplier



Large Cast Iron Table and Mitre Guide



Ball Bearing Blade Guides



Mitre Guide



Sliding Rip Fence Down Position



Sliding Rip Fence Up Position



Cast Iron Table Tilts to 45 Degrees



Table Tilt Adjustment

Product Brochure For K8810



Large Cast Iron Table




Rack Pinion Adjustment On Top Blade Guide



Blade Adjustment



Switch



Blade Tension Site Indicator



Blade View Window



Shown With Blade Door Open



Wheel Cleaning Brush



Blade Cleaning Brush



Cast Iron Blade Wheels



Safety Micro Switch On Door



100mm Side Dust Chute



100mm Bottom Rear Dust Chute

## Product Brochure For K8810

### Recommended Accessories

#### W434A

Wood Band Saw Blade - 6TPI,  
 Blade - 3630 x 19 x 0.8mm



#### W434B

Wood Band Saw Blade - 3TPI,  
 Blade - 3630 x 19 x 0.8mm



#### W309

Safety Push Blocks & Stick Set



#### W311

Ripping Gauge



#### W3130

Twin Feather Board Set



#### W344

Wood Dust Accessory Kit

