

Product Brochure For L0519


35° Rhombic Positive Turning Insert - VCMT110304HQ

Grade CA125P - General Purpose Steel



10 Inserts Per Pack

Ex GST
\$150.00

Inc GST
\$165.00



ORDER CODE:	L0519
MODEL:	VCMT110304HQ
Grade:	CA125P
Application:	General Purpose Steel
Pieces in Set (Qty):	10
[D] Insert IC Size (Inscribed Circle) (mm):	6.35
[D1] Insert Hole Size (mm):	2.75
[L10] Insert Cutting Edge Length (mm):	~
[S] Insert Thickness (mm):	3.18
[R?] Corner Radius (mm):	0.4
Relief Angle (Deg):	7°
d (mm):	~
Insert shape (Style):	~



l
11.0 mm

d
6.35 mm

s
3.18 mm

r
0.4 mm

KYOCERA
 JAPANESE CARBIDE



Description


CA125P Grade CVD Coated Carbide for Steel
 Suitable for continuous to heavy interrupted machining, these inserts are designed for general-purpose applications.

HQ Chipbreaker
 General purpose chipbreaker for medium machining.

Features

- Japanese Made
- CVD Coated Carbide with Thin Ultra-fine TiCN Coating
- 10 Inserts Per Pack


Product Brochure For L0519



Specific Features




Side View



Top View



Bottom View



Diagram

Product Brochure For L0519

Recommended Accessories

L4058

93° Rhombic / Positive - Right
Hand Turning Tool Holder

L4060

93° Rhombic / Positive - Right
Hand Turning Tool Holder

