Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au


Product Brochure For L099

Select-A-Rad Pedestal Belt Grinder / Notcher - Series 2 - SR-483

75 x 1220mm Belt Size
4 Work Stations

Ex GST	Inc GST
$2,727.27	$3,000.00

ORDER CODE:	L099
MODEL:	SR-483
Type:	Belt Grinder / Notcher
Mounting Type - Bench / Pedestal:	Pedestal
Includes Stand:	Yes
Belt Size (mm):	75 x 1220
Belt Speed (fpm / mpm):	3375 / 1028
Motor Speed (rpm):	2800
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	50



Description

The Select-A-Rad 483 Tube Notcher / Belt Grinder uses a 75mm wide belt to notch 50 DIA. handrails and smaller. Cartridges from 20 to 75 DIA. can be changed in 8 seconds. Functions are similar to Radius Master. A great all-round workshop machine, however not suitable for knife-making.

Designed for balistrade and stainless specialists, engineers, fabricators, welders, fitters, foundries, toolmakers, rural manufacturers, mechanics, restorers, aircraft engineers, medical equipment manufacturers, sculptors, model makers and manufacturers of many wood and plastic products.

While not suitable for knife-making, the Select-A-Rad Tube Notcher / Belt Grinder is a fantastic all round workshop machine!

Optional Accessories:
Contact Wheels Ø19 - Ø75mm

Features

- 4 work stations, 2 contact wheels (1 x Ø50mm & 1 x Ø75mm), (9 sizes available)
- Produces quality chatter free finishes on stainless steel
- Uses include contouring, squaring, facing, de-burring (inside tube included), sharpening, all stainless finishes, texturing, micro finishing and polishing
- Outstanding tracking allows notching sharp corners at the very edge of the belt. 3 Plus better belt life
- All wheels are precision ground for smooth chatter free finishing especially of flat surfaces
- Accurate tracking provides sharp corner notching at the edge of the belt on tool rest
- Tracking mechanism allows narrow belts to be used down to 12 mm to follow contours in free strapping (unsupported) section of belt
- Internal deburring of tube is possible at the same time as external chamfering
- Easily converts to flat bed linisher for grinding of faces and edges
- 203mm (8") drive pulley is precision ground with hardness designed to produce chatter free finishes both ground and brushed to match all stainless grades
- Convenience is expanded when machine is laid on its side for edge grinding or tube notching on the tilting table (included)
- Belt changing is made easy by simply swinging away the guards and pushing down on the belt at the tracking wheel
- Dust proof switch and 10ft (3m) lead and plug provided
- Tilting table for contouring and pipe notching
- The only belt grinder that accurately and rigidly tracks the heaviest backed belts (essential in drill & cutter sharpening)
- Sealed bearings teflon gaskets - adjustable pivots give many years life expectancy - Designed from 35 years experience in belt grinding Includes pedestal stand

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

- 75 x 1220mm belt
- 1.5kW / 2hp 240V Motor totally enclosed with overload protection
- Performance and durability backed by a 2 year commercial warranty
- Made in Australia

Includes

- Tilting top stand & base plate
- Tool rest, Notching tilt table & fence
- 1 x Zirconia belt
- 2 contact wheels Ø50mm & Ø75mm

Optional Accessories

- Contact wheels available:
- Ø19, Ø25, Ø32, Ø38, Ø44, Ø50, Ø63, Ø75, Ø89mm


Specific Features


Swing out Guard



Belt Tension


Flat Grinding on Platen


Tilting Table for Contouring and Pipe Notching



Handle



Hollow Grinding and Micro Finishing on 9inch Precision Ground Wheel


Pipe Notching


Quick Cartridge Changer


Linishing Tube


Table



Accurate Tracking Produces Sharp Corners on Quick Release Toolrest


Internal Tube De burring

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For L099


Vertical Toolrest Position


Vertical Position


Left View on Stand


Internal Tube De burring

Recommended Accessories

A48306Z
60G Zirconia Linishing Belt



A48308Z
80G Zirconia Linishing Belt



A48310Z
100G Zirconia Linishing Belt



A48312Z
120G Zirconia Linishing Belt



L099A
Contact Wheel Cartridge - Ø19mm



L099B
Contact Wheel Cartridge - Ø25mm



L099C
Contact Wheel Cartridge - Ø32mm



L099D
Contact Wheel Cartridge - Ø38mm



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For L099

L099E
Contact Wheel Cartridge - Ø44mm



L099F
Contact Wheel Cartridge - Ø50mm



L099G
Contact Wheel Cartridge - Ø63mm



L099H
Contact Wheel Cartridge - Ø75mm



L099I
Contact Wheel Cartridge - Ø89mm



G183
Abrasive Belt & Disc Cleaning Stick



W322A
Flame Retardant Dust Hose - Metal or Timber

