


Product Brochure For L0996

Select-A-Rad Pedestal Belt Grinder & Notcher - SR-602

50 x 1520mm Belt Size
 5 Work Stations



| | |
|-----------------------------------|------------------------|
| ORDER CODE: | L0996 |
| MODEL: | SR-602 |
| Type: | Belt Grinder / Notcher |
| Mounting Type - Bench / Pedestal: | Pedestal |
| Includes Stand: | Yes |
| Belt Size (mm): | 50 x 1520 |
| Belt Speed (fpm / mpm): | 3534 / 1077 |
| Motor Speed (rpm): | 2800 |
| Motor Power (kW / hp): | 1.5 / 2 |
| Voltage / Amperage (V / amp): | 240 / 10 |
| Nett Weight (kg): | 52 |



Description

A belt grinder with unmatched accuracy for knife making, tube notching and hollow grinding utilising an economical standard 60 x 2" (1520 x 50mm) belt with quick change contact wheels from 20 / 25 / 32 / 28 / 44 / 50 and 89mm).

The Selecta-A-Rad 602 Belt Grinder includes 5 word station options, increased belt performance and more clearance for hollow grinding. In addition it comes with a Tilt Top Stand and Base Plate, a Too Rest Notching Table and 2 contact wheels (50mm & 89mm). workshop machine!

Optional Accessories:
 Contact Wheels Ø20 - Ø44mm

Features

- 5 work stations, 2 contact wheels (1 x Ø50mm & 1 x Ø89mm), (5 sizes available)
- Economical Standard Belt (60 x 2" / 1520mm x 50mm)
- 9" (228mm) drive pulley (for hollow grinding knives)
- Unmatched accuracy (for precise sharpening and notching, including finger grooves)
- 1.5kW / 2hp 240V Motor totally enclosed with overload protection
- Performance and durability backed by a 2 year commercial warranty
- Includes pedestal stand
- Made in Australia


Includes

- Tilting top stand & base plate
- Tool rest, Notching tilt table & fence
- 1 x Zirconia belt
- 2 contact wheels Ø50mm & Ø89mm


Optional Accessories

- Contact wheels available:
- Ø20, Ø25, Ø32, Ø38, Ø44mm


Product Brochure For L0996



Specific Features




89mm Diameter Wheel Included



Precision Notching at Belt Edge



Hollow Grinding



Notch Table Included



Platen Grinding



Optional 20mm Diameter Wheel

Product Brochure For L0996

Recommended Accessories

L0996A
 Contact Wheel Cartridge -
 Ø20mm



L0996B
 Contact Wheel Cartridge -
 Ø25mm



L0996C
 Contact Wheel Cartridge -
 Ø32mm




L0996D
 Contact Wheel Cartridge -
 Ø38mm



L0996E
 Contact Wheel Cartridge -
 Ø44mm



L0996F
 Platen Table



L0996G
 Hollow Grinding Jig



G183
 Abrasive Belt & Disc Cleaning
 Stick



Product Brochure For L0996

W322A

Flame Retardant Dust Hose -
Metal or Timber

