

Product Brochure For L129

Twin Drum Sander - DS-25

Variable Conveyor Feed Speeds

635 x 127mm (W x H) Material Capacity



ORDER CODE:	L129
MODEL:	DS-25
Variable Table Feed Speed (m/min):	0.9 - 6
Sanding Drum Speed (rpm):	1600
Belt Size (mm):	2790 x 100
Drum Diameter (mm):	127
Maximum Material Width (mm):	635
Maximum Material Thickness (mm):	127
Minimum Material Thickness (mm):	6
Dust Collector Port Diameter (Qty x mm):	2 x Ø100
Feed Motor Power (hp):	1/8
Motor Power (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	240 / 15
Floor Space (W x D x H) (mm):	1130 x 780 x 1360
Nett Weight (kg):	225



Description

Manufactured in Taiwan

Features

- 635mm (25") sanding width capacity
- Twin, dynamically balanced 127mm drums ensure smooth sanding (1 coarse & 1 fine)
- High quality conveyor belt, easy to track for smooth feeding
- Variable speed conveyor drive giving 1.1 m/min to 5.7 m/min
- Sanding workpiece thickness, Min/Max (6 - 127mm)
- 2.2kW / 3hp Induction 240V motor
- Twin Ø100mm (4") dust ports for efficient dust extraction
- DOL starter switch with overload protection and raised red stop

Includes

- Two abrasive belts (80 grit and 120 grit)

Product Brochure For L129


Specific Features



Conveyor Feed Motor



Twin Drum Sanding System



Variable Table Feed Speed



Magnetic Safety Switch



Thickness Height Gauge



Top Guard Open



Rear View



Switch

Recommended Accessories

A94408
Twin Drum Sander - Belt

A94412
Twin Drum Sander - Belt

G183
Abrasive Belt & Disc Cleaning Stick

W394
Dust Collector



Product Brochure For L129

W329
 Dust Collector



W344
 Wood Dust Accessory Kit



W334
 Dust Hose Reducer



W333
 Dust Hose Reducer



W335
 Blast Gate



W336
 Dust Hose Elbow - 90 Degree



W337
 Dust Hose Y Adaptor



W338
 Dust Hose Universal Dust Hood



W339
 Dust Hose Floor Sweeper Attachment



W340
 Dust Hose Clamp

