Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For L7102

CNC Turning Centre - PUMA DNT2100M C Axis

Please Call

ORDER CODE:	L7102
MODEL:	PUMA DNT2100M
Swing (mm):	650
Max Turning Diameter (mm):	320
Turning Length (mm):	513
Chuck Diameter (mm):	210
Bar Diameter Capacity (mm):	65
Tool Stations (No.):	12
Spindle Speed (rpm):	4500
Spindle Motor (kW):	18.5
Guideways:	Box Guideway
Control:	DN Solutions Fanuc I Series (0i-Plus)
Programming:	EZI Guide I Conversational
C Axis Resolution (deg):	0.001
Milling Speed (rpm):	5000
Milling collets:	ER25
Sub Chuck Diameter:	~
Y Axis Travel:	~



DN SOLUTIONS

Made in SOUTH KOREA

1 YEAR WARRANTY

Description

Basic Specifications
• 650mm Swing Over Bed
• 460mm Swing Over Saddle
• 513mm Turning Length
• 320mm Turning Ø
• 3600 (0.0010 Resolution) C Axis
• 150kg Main Spindle Capacity, 300kg Shaft Work Capacity

Main Spindle
• 65mm Bar Capacity
• 200mm Ø Hydraulic Chuck
• 4500RPM Spindle Speed
• 18.5kW Spindle Power
• 328Nm Spindle Torque

Tailstock
• MT4
• 80mm Quill Ø
• 100mm Quill Travel
• Programmable Positioning

Turret
• BMT 55 Tool Mounting
• 5000RPM Live Tool Speed
• 5.5kW Live Tool Power
• 42Nm Live Tool Torque
• 12 Station Turret
• 25mm Square / 40mm Ø Tool Capacity
• ER25 Live Tool Collet Size
• Eppinger Preci-Flex Tooling System

CNC Control
• Doosan Fanuc I Series (0i-Plus) CNC Controller
• 15” Colour LCD Monitor
• Rigid-synchronised tapping

• Custom Macro B
• Ethernet Interface
• RS232 Interface
• USB & PCMCIA Memory Card Slot
• Doosan Ezi Guide “I” Conversational software:
• Graphical Turning Cycles
• Graphical Milling Cycles
• Full 3D Graphical Simulation
• Onboard G & M code assistance
• + more

Standard Equipment - Included
• 3 Jaw Hydraulic Power Chuck
• Chuck Cleaning Air Blast
• Eppinger rotary tool holders with Preci-Flex adapter set
• Coolant supply equipment
• Foot switches
• Transformer
• Full enclosure chip and coolant shield with front door interlock
• Hand tool kit
• Automatic lubrication equipment
• Comprehensive manuals incorporating, Operation, Maintenance, Programming, Spare Parts Diagrams, Hydraulic Schematics, Electrical Schematics and Ladder Diagrams.
• Safety name plates / tags where required
• Risk assessment
• Work light

Optional Equipment Included
• Chuck open close confirmation proximity switches
• Chip Conveyor (Side Discharge, Hinged Belt)
• Auto Tool Setter (Hydraulically operated)
• Coolant Oil Skimmer
• 7 Bar High Pressure Coolant
• Parts Catcher with Parts Box
• Barfeed Interface
• Programmable Tailstock

Standard Turret Tool Holder Package Included
• 4 x OD Tool Holder (R & L)
• 3 x ID Tool Holder
• 1 x Face Tool Holder (R & L)
• 1 x U Drill Cap
• 2 x Straight Milling Unit
• 2 x Angular Milling Unit
• 1 x Boring Sleeve Kit
• 1 x U Drill Sleeve Kit
• 1 x Preci-Flex Adapter Kit
• 1 x ER 25 Milling Collet Set
• 1 x Hard & Soft Jaws

Local Service and Support
• Commissioning & Testing Included
• Comprehensive Operator Training Included
• Hare and Forbes In House Service And Applications Staff
• Ongoing Support For Life Of The Machine

Features

- Doosan Machine Tools changes its name to DN Solutions
- Read more at:

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For L7102

Specific Features



Puma GT Frame



Puma GT Hobbing




Puma GT Milling



Machine Turrett



Machine Chuck



Machine Internal



Front View DNT 2100MB