Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For P196L

CNC Punching Machine - PM-80T-ANC

80 Tonne

Includes CNC Programmable Positioning Table 6000mm



Please Call

ORDER CODE:	P196L
MODEL:	PM-80T-ANC
Punching Pressure (Tonne):	80
Punching Table Feed (Type):	CNC Positioning
Punching Table Dimensions (mm):	6000 (X-Axis)
Punching Ø x Thickness Capacity - Mild Steel (mm):	Ø30 x 15
Channel Flange Punching (h) (mm):	~
Throat Depth (mm):	310
Maximum Stroke Length (mm):	100
Cycle/min (20mm Stroke) (cpm):	28
Table Working Height (mm):	1050
Motor Power (kW / hp):	5.6 / 7.5
Voltage (V):	415
Nett Weight (kg):	2300

Description

The Sunrise Punching Machines are manufactured in Taiwan, also known as Ironworkers are well recognised in our Australian market for the machines being reliable & durable due to their structurally well manufactured unique design & engineering excellence. Sunrise is ISO-9001 certified by BVQI, and our products meet the CE safety requirements and regulations. Sunrise relentlessly seeks continuous improvement and product development to keep a step ahead of their competitors.

CNC Feeding System – For Angles, Channel Webs, and Flat Plates

Features

- The user friendly Delta 7” colour touch-screen controller with pre-set patterns makes programming a simple task
- The new version of ANC is a fully automatic single-axis in-feed system for punching angles, channel webs, and flat plates, available in 6000mm X-axis travel distance
- The main frame of the ANC is a heavily proportioned machined structural steel tube that provides unmatched rigidity and quality, yet offers simple set-up, adjustment and maintenance
- The ANC features a hydraulic stripper as well as pneumatic material clamping for fully automatic operation
- In-feed roller tables and support stand are included for full support of the material
- Specially designed strippers and punching accessories for processing a wide variety of materials
- The highly precise gear drive components provide excellent accuracy, repeatability and efficiency

- Pre-Commissioning:
- 1. Punching machine is run & tested prior delivery
- 2. Hydraulic oil is included with machine

Includes

- Fully-automatic CNC table 6000mm (X-Axis)

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For P196L


Specific Features



Full View




Punching Head



Gear Drive Feed

Recommended Accessories

P163
Laser Guide System



P165
Ø6-26mm Round Punch & Dies Set



P166
Ø11-40mm Round Punch & Dies Set



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O000
SpillFix Universal Organic Absorbent



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant & Corrosion Inhibitor



Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For P196L

O040
Rust & Corrosion Preventive



O044
Rust & Corrosion Preventive



O004
Superdraulic ISO 46 Hi Temp Hydraulic Oil

