Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Product Brochure For P408M

Industrial Motorised Hydraulic Press with Movable Cylinder - 300 Tonne - HPM-300T

Welded Steel Frame Construction
Includes Heavy Steel Worktable & Bending Blocks



On Sale

	Ex GST	Inc GST
	~~$19,450.00~~	~~$21,395.00~~
	$18,850.00	$20,735.00

ORDER CODE:	P408M
MODEL:	HPM-300T
Pressing Capacity (Tonne):	300
Hydraulic Ram Operation (Type):	Motorised System
Sliding Ram (left-right) (Yes / No):	Yes
Width Between Front Posts (mm):	1300
Width Between Side Posts (mm):	510
Table Top Opening - (Front to Back) (mm):	600
Ram To Table (Max.) (mm):	860
Cylinder Stroke (mm):	370
Ram Diameter (mm):	Ø200
Piston Diameter (mm):	~
Minimum Air Flow Rate required (L/Min):	~
Motor Power (kW / hp):	22 / 30
Voltage (V):	415
Floor Space (W x D x H) (mm):	2380 x 1210 x 2525
Nett Weight (kg):	3900

Description

The Metalmaster HPM-300T, 300 Tonne electric/hydraulic press features a sliding cylinder which can be moved from side to side allowing for those offset pressing jobs. A heavy one piece steel workplate and a pair of pressing blocks are supplied as standard making this the ideal press for pressing, bending, forming, straightening and a whole variety of operations.

Features

- H frame design with welded steel frame construction
- Movable cylinder (left-right) via crank hand wheel allows operator to reposition the cylinder for off centre work
- Electric/Hydraulic operation provides smooth, consistent pressing action
- Joystick control for ram stroke and return
- 370mm Ram stroke
- Ram speed down 8.4mm/sec, returns 6.0mm/sec
- Pressure gauge fitted for easy control of pressing operations
- Height adjustable worktable with 4 adjustment positions
- Heavy one piece steel work plate and pressing blocks
- Work table height easily adjusted with the assiatnce of the ram
- Reinforced table support holes with high tensile setting pins
- Safety overload valve
- Powerful TEFC motor
- Ideal for any industrial workshop for the repair of axles, shafts, & press fit of bearings & bushings

Includes

- Heavy one piece steel work plate
- Pair of double sided pressing blocks (Vee & Flat)
- Table raising and lowering chains

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Specific Features


Sliding Ram


Head Movement Handle


Head Locking Handle


Controls



Control Panel



Table Height Adjustment Using Chain


Table Height Lifting Points


Pin Safety Clip


Table Pin


V Blocks



Pressure Gauge


Isolation Switch

Sydney: (02) 9890 9111
Brisbane: (07) 3715 2200
Melbourne: (03) 9212 4422
Perth: (08) 9373 9999
Adelaide: (08) 9373 9969
sales@machineryhouse.com.au
www.machineryhouse.com.au

Recommended Accessories


P030
Bush Driver Set - 17 piece



P031
Bearing Race & Seal Driver Set - 10 piece



P1401
Steel Press Pin Driver Set - 11 piece



P455
Pressbrake Attachment - Suits Hydraulic Presses



O002
Superdraulic ISO 46 Hi Temp Hydraulic Oil



O004
Superdraulic ISO 46 Hi Temp Hydraulic Oil

