

Product Brochure For R910

Table Saw with Sliding Beam - TS250C

Ø250mm Saw Blade



ORDER CODE:	R910
MODEL:	TS250C
Blade Diameter (mm):	Ø250
Table Size (W x H) (mm):	~
Table Size With Extensions (mm):	~
Max. Depth Of Cut 90° & 45° (mm):	80 / ~
Scribe Blade Diameter (mm):	~
Tilt Arbor To 45°:	Yes
Sliding Table Stroke (mm):	~
Cross Cut with Flip Over Stop (mm):	~
Cross Cut with Extension Stop (mm):	~
Rip Capacity (mm):	610R / 305L
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10
Floor Space Required (W x D x H) (mm):	~
Weight (nett) (kg):	110

RECORD POWER



Description

This innovative Record Power TS250C table saw has been designed to provide the serious home cabinet or furniture maker with a solid, accurate and versatile machine in a compact form. Boasting many features only found on much more expensive table saws, this machine offers real value for money without compromising quality or flexibility.

Features


- On the Inside - Not all machines are the same. Whilst looking impressive from the outside, it is what's on the inside that really counts and Record Power table saws are much more heavily made than competition at the same price. Make sure you research alternatives thoroughly and look inside if you can.
- Rise and Fall - Separate rise and fall table tilt handwheels - providing smooth and accurate control via thick steel bars with rolled acme threads for fast smooth action.
- High Quality Sliding Beam - The industrial solution for precision cross cutting. The TS250C has a superior beam system working right up to the blade for accuracy and mounted directly to the main saw frame. Much more accurate and stable than bolt on sliding table systems.
- Robust Fence System - The heavy extrusion is fixed to a solid cast iron mount and fitted with micro-adjustment. The whole unit slides smoothly on an industrial style solid steel bar, which has adjustment that will stay put once set.
- Saw Unit - Motor and blade housed in heavy cast iron saw unit for rigidity and strength.
- Durable Design Heavy cast iron trunnions at each end of the cast saw housing with wide machined guards for accurate, smooth table tilt. Mounted on to the hardened steel frame to isolate vibration from the table.
- Cross Cut Fence - The TS250C is supplied with a locking cross cut fence with easy to read scale.
- Table - The main table is made from cast iron and is surface ground for an accurate, smooth surface.
- Wide Ripping - A maximum capacity of 610 mm can be achieved using the right hand extension table TS200-E-MK2.
- Blade tilt up to 45°
- 250mm Blade x 30mm bore
- Blade speed: 4000rpm
- Sliding Carriage Stroke: 620mm
- Max depth of cut at 90°: 80mm
- Max depth of cut at 45°: 56mm
- Table Height from Floor: 890mm
- Size: L910 x W1330 x H1090mm

Includes

- Enclosed cabinet
- Heavy duty rip fence
- Mitre guide

Product Brochure For R910

- Right hand extension table TS200-E-MK2



Specific Features



High Quality Sliding Beam



Rise and Fall




Easily Handles Compound Mitre Cuts



Sliding Carriage



Whats on the Inside



Robust Fence System



Cross Cut Fence

Product Brochure For R910

Recommended Accessories

W952

Wood Band Saw



W332

Dust Collector



W886

Dust Collector



W394

Dust Collector



W930

Mobile Base



W931

Mobile Base - Heavy Duty



W344

Wood Dust Accessory Kit



W334

Dust Hose Reducer



Product Brochure For R910

W333

Dust Hose Reducer



W335

Blast Gate



W336

Dust Hose Elbow - 90 Degree



W337

Dust Hose Y Adaptor



W338

Dust Hose Universal Dust Hood




W339

Dust Hose Floor Sweeper Attachment



W340

Dust Hose Clamp



W343

Roller Stand



W343A

Roller Stand



W343A

Roller Stand



M977

Digital Bevel Box

